





**Monthly Station Normals
of Temperature, Precipitation,
and Heating and Cooling
Degree Days
1971 - 2000**



**26
NEVADA**



**NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC**




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEVADA

Page 2

(This Page Intentionally Left Blank)



CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

NOTES

Product Description:

This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:

- No.** = Station Number in State Map
- COOP ID** = Cooperative Network ID (1:2=State ID, 3:6=Station Index)
- WBAN ID** = Weather Bureau Army Navy ID, if assigned
- Elements** = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)
- Call** = 3-Letter Station Call Sign, if assigned
- MAX** = Normal Maximum Temperature (degrees Fahrenheit)
- MEAN** = Average of MAX and MIN (degrees Fahrenheit)
- MIN** = Normal Minimum Temperature (degrees Fahrenheit)
- HDD** = Total Heating Degree Days (base 65 degrees Fahrenheit)
- CDD** = Total Cooling Degree Days (base 65 degrees Fahrenheit)
- Latitude** = Latitude in degrees, minutes, and hemisphere (N=North, S=South)
- Longitude** = Longitude in degrees, minutes, and hemisphere (W=West, E=East)
- Elev** = Elevation in feet above mean sea level
- Flag 1** = * if a published *Local Climatological Data* station
- Flag 2** = + if WMO Fully Qualified (see *Note* below)
- HIGHEST MEAN/YEAR** = Maximum Mean Monthly Value/Year, 1971-2000
- MEDIAN** = Median Mean Monthly Value/Year, 1971-2000
- LOWEST MEAN/YEAR** = Minimum Mean Monthly Value/Year, 1971-2000
- MAX OBS TIME ADJUSTMENT** = Add to MAX to Get Midnight Obs. Schedule
- MIN OBS TIME ADJUSTMENT** = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO, 1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (e.g., changes in station location, instrumentation, time of observation, etc.) and be serially complete (i.e., no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al.*, 1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.


Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (e.g., after 1995), the discontinuity may not be detectable using this methodology.


The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (e.g., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

Easterling, D.R., and T.C. Peterson, 1995: *A new method for detecting and adjusting for undocumented discontinuities in climatological time series.* *Intl. J. Clim.*, **15**, 369-377.
 Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland, 1986: *A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States.* *J. Clim. Appl. Met.*, **25**, 145-160.
 Peterson, T.C., and D.R. Easterling, 1994: *Creation of homogeneous composite climatological reference series.* *Intl. J. Clim.*, **14**, 671-679.
 Peterson, T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: *Global Historical Climatology Network (GHCN) quality control of monthly temperature data.* *Intl. J. Clim.*, **18**, 1169-1179.
 Thom, H.C.S., 1966: *Normal degree days above any base by the universal truncation coefficient.* *Month. Wea. Rev.*, **94**, 461-465.
 World Meteorological Organization, 1989: *Calculation of Monthly and Annual 30-Year Standard Normals*, WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

26 - NEVADA






CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000


NEVADA

STATION INVENTORY										
No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	260150		XNP	AMARGOSA FARMS GAREY		36 34 N	116 28 W	2450		
2	260438		XNP	ARTHUR 4 NW		40 47 N	115 11 W	6300		+
3	260507	93126	XNP	AUSTIN	U31	39 30 N	117 04 W	6605		+
4	260691	24119	XNP	BATTLE MOUNTAIN 4 SE		40 37 N	116 54 W	4540		+
5	260718		XNP	BEATTY 8 N		37 00 N	116 43 W	3550		+
6	260795		XNP	BEOVAWE		40 35 N	116 28 W	4700		+
7	260800		XNP	BEOVAWE U OF N RANCH		39 54 N	116 35 W	5740		+
8	260955		XNP	BLUE EAGLE RANCH HANKS		38 31 N	115 33 W	4780		
9	261071		XNP	BOULDER CITY		35 58 N	114 51 W	2450		+
10	261327		XNP	BUNKERVILLE		36 46 N	114 07 W	1550		
11	261358	03163	XNP	CALIENTE	P38	37 37 N	114 31 W	4400		+
12	261371		P	CALLVILLE BAY		36 08 N	114 44 W	1270		
13	261415		XNP	CARLIN NEWMONT MINE		40 55 N	116 19 W	6520		+
14	261485		XNP	CARSON CITY		39 09 N	119 46 W	4651		+
15	261740		XNP	CLOVER VALLEY		40 51 N	115 02 W	5750		+
16	261905		XNP	CONTACT		41 46 N	114 45 W	5350		
17	262189		XNP	DEETH		41 04 N	115 16 W	5340		+
18	262229		XNP	DENIO		41 59 N	118 38 W	4190		+
19	262243		XNP	DESERT NATL WL RANGE		36 26 N	115 22 W	2920		+
20	262251	03160	XNP	DESERT ROCK AP	DRA	36 37 N	116 02 W	3301		
21	262296		XNP	DIAMOND VALLEY USDA		39 43 N	116 03 W	5970		
22	262390		P	DUCKWATER		38 56 N	115 43 W	5610		
23	262394		XNP	DUFURRENA		41 52 N	119 01 W	4800		
24	262431		XNP	DYER		37 37 N	118 01 W	4900		+
25	262497		XN	ECHO BAY		36 19 N	114 26 W	1250		
26	262557		XNP	ELGIN		37 21 N	114 33 W	3420		
27	262573	24121	XNP	ELKO		40 50 N	115 48 W	5050		+
28	262631	23154	XNP	ELY	ELY	39 18 N	114 51 W	6262	*	+
29	262656		XNP	EMIGRANT PASS HWY STA		40 39 N	116 18 W	5760		+
30	262708		XNP	EUREKA	P68	39 31 N	115 58 W	6540		+
31	262780		XNP	FALLON EXPERIMENT STN		39 27 N	118 47 W	3965		+
32	893102	93102	XNP	FALLON NAAS		39 25 N	118 43 W	3934		+
33	263090		XNP	GERLACH		40 39 N	119 21 W	3950		
34	263114		XNP	GIBBS RANCH		41 34 N	115 13 W	6000		
35	263205		XNP	GLENBROOK		39 05 N	119 56 W	6350		+
36	263245		XNP	GOLCONDA		40 57 N	117 29 W	4415		+
37	263285		XNP	GOLDFIELD		37 42 N	117 14 W	5690		+
38	263340		XNP	GREAT BASIN NATL PARK		39 01 N	114 14 W	6830		
39	263515		XNP	HAWTHORNE AP		38 33 N	118 40 W	4220		
40	263671		P	HIKO		37 33 N	115 13 W	3900		
41	263957		XNP	IMLAY		40 39 N	118 10 W	4260		
42	264016		XNP	JACKPOT		41 59 N	114 40 W	5290		
43	264095		XNP	JIGGS 8 SSE ZAGA		40 21 N	115 37 W	5800		
44	264236		XNP	KINGS RIVER VALLEY		41 45 N	118 14 W	4240		
45	264341		XNP	LAGES		40 04 N	114 37 W	5960		
46	264349		XNP	LAHONTAN DAM		39 28 N	119 04 W	4150		+
47	264394		XNP	LAMOILLE YOST		40 43 N	115 31 W	5840		
48	264436	23169	XNP	LAS VEGAS AP	LAS	36 05 N	115 09 W	2127	*	+
49	264480		XNP	LAUGHLIN		35 10 N	114 35 W	605		
50	264514		XNP	LEHMAN CAVES NM		39 00 N	114 13 W	6826		
51	264527		XNP	LEONARD CREEK RANCH		41 31 N	118 43 W	4224		+
52	264698		XNP	LOVELOCK		40 11 N	118 28 W	3975		+
53	264700	24172	XNP	LOVELOCK DERBY AP	LOL	40 04 N	118 34 W	3900		
54	264745		XNP	LUND		38 52 N	115 01 W	5560		+
55	264935		XNP	MCDERMITT		42 00 N	117 43 W	4527		
56	264950		XNP	MCGILL		39 24 N	114 47 W	6270		+
57	265132		XNP	MIDDLEGATE LOWERY		39 17 N	118 01 W	4600		
58	265168		XNP	MINA		38 23 N	118 06 W	4550		+
59	265191		XNP	MINDEN		38 57 N	119 47 W	4709		+
60	265352		XNP	MONTELO 2 SE		41 15 N	114 10 W	4900		
61	265392		XNP	MOUNTAIN CITY R S		41 50 N	115 58 W	5650		+
62	265722		XNP	OASIS		41 02 N	114 28 W	5830		
63	265818		XNP	OROVADA 3 W		41 34 N	117 50 W	4200		+
64	265880		XNP	PAHRANAGAT W L REFUGE		37 16 N	115 07 W	3400		+
65	265890		XNP	PAHRUMP		36 17 N	116 00 W	2674		+
66	266005		XNP	PARADISE VALLEY 1 NW		41 30 N	117 33 W	4675		+
67	266055		XNP	PARIS RANCH		40 13 N	117 41 W	4140		
68	266242		XNP	PINE VALLEY BAILEY RANCH		40 26 N	116 07 W	5047		
69	266252		XNP	PIOCHE		37 57 N	114 28 W	6180		+



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

STATION INVENTORY											
No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2	
70	266691		XNP	RED ROCK CANYON ST PK		36 04 N	115 28 W	3780			
71	266746		XNP	REESE RIVER O'TOOLE		39 04 N	117 25 W	6550			
72	266779	23185	XNP	RENO CANNON INTL AP	RNO	39 29 N	119 46 W	4410	*	+	
73	267123		XNP	RUBY LAKE		40 12 N	115 30 W	6010			
74	267175		XNP	RUTH		39 17 N	114 59 W	6840			
75	267192		XNP	RYE PATCH DAM		40 28 N	118 18 W	4135			+
76	267369		XNP	SEARCHLIGHT		35 28 N	114 55 W	3540			+
77	267450		XNP	SHOSHONE 5 N		38 55 N	114 24 W	5930			
78	267463		XNP	SILVERPEAK		37 46 N	117 34 W	4260			+
79	267612		XNP	SMITH 6 N		38 53 N	119 21 W	5000			+
80	267618		XNP	SMOKE CREEK ESPIL		40 36 N	119 45 W	3850			
81	267620		XNP	SMOKEY VALLEY		38 47 N	117 10 W	5625			+
82	267640		XNP	SNOWBALL RANCH		39 02 N	116 12 W	7160			+
83	267697		XNP	SPARKS		39 33 N	119 44 W	4357			
84	267750		XNP	SPRING VALLEY ST PK		38 02 N	114 11 W	5950			
85	267820		XNP	STEAD		39 37 N	119 53 W	5120			
86	267908		XNP	SUNNYSIDE		38 25 N	115 01 W	5300			+
87	267925		XNP	SUNRISE MANOR LAS VEGAS		36 12 N	115 05 W	1821			
88	267953		XNP	SUTCLIFFE		39 57 N	119 36 W	3900			
89	268170	23153	XNP	TONOPAH AP	TPH	38 04 N	117 05 W	5430			+
90	268202		XNP	TOPAZ LAKE 4 N		38 45 N	119 31 W	5577			
91	268346		XNP	TUSCARORA		41 19 N	116 13 W	6170			
92	268443		XNP	TWIN SPRINGS FALLINI		38 12 N	116 11 W	5300			
93	268588		XNP	VALLEY OF FIRE ST PK		36 26 N	114 31 W	2000			+
94	268761		XNP	VIRGINIA CITY		39 19 N	119 39 W	6340			+
95	268822		XNP	WABUSKA 6 SE		39 04 N	119 07 W	4300			+
96	268838		XNP	WADSWORTH 4 N		39 41 N	119 17 W	4200			
97	268988		XNP	WELLS		41 06 N	114 58 W	5700			+
98	269072	94190	XNP	WILDHORSE RESERVOIR		41 38 N	115 48 W	6226			
99	269171	24128	XNP	WINNEMUCCA MUNICIPAL AP	WMC	40 54 N	117 48 W	4297	*	+	
100	269229		XNP	YERINGTON		39 00 N	119 10 W	4380			+




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AMARGOSA FARMS GAREY	MAX	61.0	66.0	71.4	79.7	88.6	98.1	103.6	101.8	94.7	83.8	69.4	61.5	81.6
		MEAN	46.1	50.7	55.6	62.6	71.3	80.6	86.1	84.6	77.1	65.9	52.9	45.9	65.0
		MIN	31.2	35.3	39.8	45.4	54.0	63.1	68.5	67.4	59.4	48.0	36.3	30.3	48.2
002	ARTHUR 4 NW	MAX	35.5	38.7	45.4	54.2	63.4	73.4	82.2	81.4	72.1	60.1	44.6	36.2	57.3
		MEAN	25.1	28.3	34.5	41.7	49.7	58.1	65.6	64.8	56.3	45.9	33.3	25.7	44.1
		MIN	14.7	17.9	23.5	29.1	35.9	42.7	49.0	48.2	40.4	31.7	21.9	15.2	30.9
003	AUSTIN	MAX	40.6	44.0	48.2	54.4	63.5	75.6	85.0	83.3	74.1	61.9	47.6	40.7	59.9
		MEAN	29.9	32.8	37.0	42.3	50.7	60.8	69.3	68.0	59.6	48.7	36.5	30.1	47.1
		MIN	19.2	21.6	25.7	30.2	37.8	46.0	53.6	52.7	45.0	35.4	25.4	19.4	34.3
004	BATTLE MOUNTAIN 4 SE	MAX	42.8	50.0	57.7	65.3	74.6	85.9	95.8	94.6	84.4	70.9	53.5	43.6	68.3
		MEAN	29.8	36.1	42.4	48.1	56.8	65.9	73.6	71.7	62.4	50.6	38.3	29.9	50.5
		MIN	16.8	22.2	27.1	30.9	38.9	45.8	51.4	48.8	40.3	30.2	23.1	16.1	32.6
005	BEATTY 8 N	MAX	53.5	58.2	63.4	71.0	79.8	90.3	96.6	95.0	88.1	76.6	63.0	54.3	74.2
		MEAN	40.7	44.5	49.3	55.6	64.0	72.8	78.7	77.4	71.1	60.2	48.2	40.8	58.6
		MIN	27.8	30.8	35.1	40.2	48.1	55.2	60.8	59.8	54.0	43.8	33.3	27.2	43.0
006	BEOWAWE	MAX	39.8	46.6	54.9	62.9	71.8	82.8	91.9	90.7	80.5	67.3	50.6	40.7	65.0
		MEAN	28.0	34.4	40.9	46.8	55.2	64.1	71.5	70.0	60.6	49.0	37.2	28.6	48.9
		MIN	16.1	22.1	26.9	30.7	38.5	45.3	51.1	49.3	40.7	30.7	23.7	16.4	32.6
007	BEOWAWE U OF N RANCH	MAX	40.3	45.7	51.3	58.5	67.7	78.3	87.5	86.1	77.4	65.8	50.8	41.7	62.6
		MEAN	27.4	32.9	38.4	43.6	51.3	60.2	67.8	66.1	57.4	46.7	35.6	27.9	46.3
		MIN	14.4	20.1	25.4	28.7	34.8	42.1	48.0	46.0	37.3	27.5	20.3	14.1	29.9
008	BLUE EAGLE RANCH HANKS	MAX	38.8	47.6	56.4	65.0	74.1	85.4	92.8	90.7	81.7	68.8	51.5	41.0	66.2
		MEAN	27.0	34.4	42.3	49.4	58.3	68.2	74.8	72.9	64.1	51.9	37.8	28.4	50.8
		MIN	15.1	21.1	28.2	33.7	42.5	51.0	56.7	55.0	46.5	34.9	24.1	15.7	35.4
009	BOULDER CITY	MAX	53.0	58.6	65.3	73.4	83.2	94.0	99.4	97.5	89.9	77.5	62.4	53.3	75.6
		MEAN	45.6	50.5	55.8	63.3	72.4	82.6	88.1	86.4	79.3	67.5	54.0	45.9	66.0
		MIN	38.1	42.3	46.3	53.2	61.5	71.1	76.7	75.3	68.6	57.5	45.6	38.4	56.2
010	BUNKERVILLE	MAX	58.3	64.2	71.1	80.3	90.1	100.2	104.3	102.4	95.0	82.0	67.1	57.8	81.1
		MEAN	44.5	49.6	55.7	63.7	72.4	81.0	87.6	86.5	78.4	65.1	51.9	43.9	65.0
		MIN	30.6	34.9	40.3	47.1	54.7	61.7	70.8	70.5	61.7	48.1	36.7	29.9	48.9
011	CALIENTE	MAX	46.2	52.9	59.3	67.4	77.1	88.3	94.7	92.6	84.4	72.7	57.4	47.6	70.1
		MEAN	32.2	38.0	44.0	50.9	59.7	69.2	75.8	74.0	65.4	54.0	41.4	32.8	53.1
		MIN	18.1	23.1	28.6	34.3	42.3	50.1	56.8	55.4	46.4	35.2	25.3	18.0	36.1
013	CARLIN NEWMONT MINE	MAX	33.3	37.3	44.5	52.4	62.1	73.1	83.0	81.3	71.6	58.0	41.7	34.1	56.0
		MEAN	27.0	30.3	35.9	42.7	51.7	62.1	71.8	70.9	61.7	49.7	35.5	27.7	47.3
		MIN	20.7	23.2	27.3	33.0	41.2	51.1	60.6	60.5	51.7	41.4	29.2	21.3	38.4
014	CARSON CITY	MAX	45.6	50.7	56.6	63.2	71.6	81.2	89.2	87.8	80.2	68.8	54.7	46.2	66.3
		MEAN	33.7	38.1	43.1	48.1	55.7	63.7	70.0	68.5	61.3	51.1	40.6	33.5	50.6
		MIN	21.7	25.4	29.5	33.0	39.7	46.1	50.7	49.1	42.4	33.4	26.4	20.8	34.9
015	CLOVER VALLEY	MAX	37.3	42.7	49.8	57.9	66.4	76.4	84.8	84.0	75.8	63.7	47.7	38.7	60.4
		MEAN	26.4	31.2	37.7	44.1	51.9	60.5	67.8	66.6	58.5	47.9	35.3	27.3	46.3
		MIN	15.5	19.7	25.6	30.2	37.4	44.5	50.7	49.1	41.1	32.0	22.9	15.8	32.0
016	CONTACT	MAX	39.4	44.3	50.7	58.4	67.6	78.8	89.2	87.5	77.6	65.0	48.5	40.0	62.3
		MEAN	26.9	31.2	37.3	43.2	51.6	60.5	68.4	66.6	57.5	46.3	34.5	27.0	45.9
		MIN	14.3	18.1	23.9	28.0	35.6	42.2	47.6	45.7	37.3	27.6	20.5	13.9	29.6
017	DEETH	MAX	35.5	41.0	50.1	59.4	68.3	78.0	86.9	85.8	76.6	63.5	46.5	36.8	60.7
		MEAN	22.5	27.8	36.1	43.2	51.3	59.2	65.3	63.6	54.8	43.6	32.1	23.3	43.6
		MIN	9.4	14.6	22.1	27.0	34.3	40.3	43.6	41.3	33.0	23.7	17.6	9.8	26.4
018	DENIO	MAX	40.0	46.1	52.9	60.8	69.4	79.4	89.4	88.0	78.8	66.1	49.5	40.7	63.4
		MEAN	31.1	36.0	41.1	47.1	54.5	63.3	71.4	70.0	61.1	50.7	38.8	31.3	49.7
		MIN	22.2	25.8	29.2	33.3	39.6	47.2	53.4	52.0	43.3	35.2	28.1	21.8	35.9
019	DESERT NATL WL RANGE	MAX	56.7	61.9	67.4	75.6	85.1	96.2	101.5	99.4	91.6	79.4	65.3	56.8	78.1
		MEAN	42.7	47.3	52.6	59.8	68.6	78.2	84.0	82.5	74.9	62.8	50.3	42.7	62.2
		MIN	28.7	32.7	37.7	44.0	52.1	60.2	66.4	65.5	58.1	46.2	35.2	28.5	46.3
020	DESERT ROCK AP	MAX	55.6	60.2	66.1	73.9	83.1	93.8	99.0	97.1	89.4	77.9	64.3	56.1	76.4
		MEAN	44.2	48.4	53.3	60.0	68.6	78.4	84.3	82.6	74.9	63.4	50.8	44.0	62.7
		MIN	32.7	36.6	40.4	46.0	54.0	62.9	69.5	68.0	60.3	48.8	37.3	31.8	49.0
021	DIAMOND VALLEY USDA	MAX	38.0	44.0	51.1	60.2	68.1	79.0	87.5	85.6	76.2	64.6	48.3	39.6	61.9
		MEAN	23.7	29.7	36.7	42.7	50.3	59.2	66.3	65.1	56.3	46.0	33.6	25.5	44.6
		MIN	9.4	15.3	22.3	25.2	32.5	39.3	45.0	44.5	36.4	27.3	18.8	11.3	27.3
023	DUFURENA	MAX	41.3	45.7	51.8	59.4	68.0	78.0	88.1	86.7	77.3	65.0	49.2	41.8	62.7
		MEAN	28.3	32.5	37.5	43.6	51.6	59.6	67.3	65.2	55.7	45.2	34.0	27.4	45.7
		MIN	15.3	19.2	23.1	27.8	35.1	41.1	46.4	43.7	34.1	25.3	18.8	13.0	28.6
024	DYER	MAX	46.9	53.4	59.8	67.2	75.6	85.8	92.5	90.7	82.7	71.7	57.3	47.7	69.3
		MEAN	31.7	37.5	43.9	50.1	58.2	67.2	73.5	71.5	63.5	52.7	40.2	31.8	51.8
		MIN	16.5	21.5	27.9	32.9	40.7	48.5	54.5	52.2	44.2	33.6	23.0	15.8	34.3
025	ECHO BAY	MAX	58.2	64.6	70.8	80.4	91.3	102.1	107.5	106.3	97.9	83.7	68.0	58.5	82.4
		MEAN	46.6	52.0	58.5	66.5	77.1	87.5	93.6	92.2	83.0	69.9	55.7	47.4	69.2
		MIN	34.9	39.3	46.1	52.5	62.8	72.9	79.7	78.1	68.1	56.0	43.4	36.2	55.8




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA


No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
026	ELGIN	MAX	52.4	57.3	63.2	70.8	80.3	91.7	97.2	95.9	87.6	76.0	62.0	53.4	74.0
		MEAN	39.4	43.6	48.2	54.3	62.4	71.5	77.8	76.8	69.7	58.9	46.8	40.0	57.5
		MIN	26.3	29.9	33.2	37.8	44.4	51.2	58.4	57.7	51.7	41.8	31.6	26.6	40.9
027	ELKO	MAX	37.1	42.9	51.2	59.3	68.6	79.9	89.6	88.1	78.2	65.0	48.1	38.2	62.2
		MEAN	25.6	31.3	38.6	44.6	52.7	61.7	69.1	67.6	58.2	46.7	34.5	26.0	46.4
		MIN	14.1	19.7	25.9	29.9	36.8	43.5	48.6	47.0	38.1	28.3	20.9	13.8	30.6
028	ELY	MAX	40.0	44.0	49.9	57.9	67.3	79.2	87.3	85.1	75.8	63.0	48.8	41.0	61.6
		MEAN	25.2	29.8	35.9	42.2	50.4	59.9	67.4	65.8	56.7	45.4	33.5	25.8	44.8
		MIN	10.4	15.6	21.9	26.4	33.4	40.6	47.4	46.4	37.5	27.8	18.2	10.6	28.0
029	EMIGRANT PASS HWY STA	MAX	37.9	42.3	49.1	57.4	66.4	78.5	88.7	86.5	77.0	64.0	48.0	39.0	61.2
		MEAN	28.2	32.7	38.1	44.3	52.3	62.6	71.9	70.0	60.7	48.8	36.5	29.0	47.9
		MIN	18.4	23.1	27.1	31.1	38.2	46.6	55.0	53.4	44.4	33.6	24.9	18.9	34.6
030	EUREKA	MAX	36.9	40.7	46.9	54.9	64.5	75.8	84.5	82.6	73.5	61.3	46.0	38.1	58.8
		MEAN	26.6	30.0	35.5	41.9	50.5	60.2	68.5	67.1	58.6	47.5	34.7	27.4	45.7
		MIN	16.3	19.3	24.0	28.8	36.5	44.6	52.4	51.6	43.7	33.6	23.4	16.7	32.6
031	FALLON EXPERIMENT STN	MAX	44.9	53.0	59.3	65.6	73.8	84.0	92.1	90.5	81.6	69.8	55.5	46.4	68.0
		MEAN	31.7	38.1	43.6	49.7	57.5	66.1	72.8	71.0	62.3	51.5	40.0	31.9	51.4
		MIN	18.5	23.1	27.9	33.7	41.1	48.2	53.4	51.4	42.9	33.2	24.5	17.4	34.6
032	FALLON NAAS	MAX	44.3	51.7	58.4	65.4	74.2	84.4	93.2	91.7	81.9	69.3	54.5	45.1	67.8
		MEAN	33.1	39.3	45.3	51.3	59.7	68.5	75.6	74.0	65.0	53.6	41.3	33.0	53.3
		MIN	21.9	26.9	32.1	37.1	45.2	52.5	57.9	56.3	48.1	37.8	28.1	20.9	38.7
033	GERLACH	MAX	39.8	46.6	55.1	63.1	71.6	81.1	89.4	88.5	79.2	67.1	50.6	40.3	64.4
		MEAN	30.8	36.5	43.3	49.8	58.1	66.6	73.9	72.5	63.5	51.9	38.8	30.1	51.3
		MIN	21.8	26.3	31.4	36.4	44.5	52.1	58.4	56.5	47.7	36.7	27.0	19.8	38.2
034	GIBBS RANCH	MAX	35.0	39.5	46.1	55.3	64.2	74.8	84.3	83.4	74.8	62.2	44.9	36.6	58.4
		MEAN	22.2	26.8	34.0	41.0	48.9	57.4	65.1	63.7	55.7	44.6	31.7	23.7	42.9
		MIN	9.3	14.0	21.8	26.6	33.5	40.0	45.9	44.0	36.6	27.0	18.4	10.8	27.3
035	GLENBROOK	MAX	42.4	44.0	47.7	53.5	61.5	71.0	78.3	78.0	71.8	61.5	49.2	42.8	58.5
		MEAN	33.1	34.4	37.2	41.7	48.7	56.8	63.4	63.5	58.1	49.0	39.2	33.7	46.6
		MIN	23.8	24.8	26.7	29.9	35.8	42.6	48.5	49.0	44.3	36.5	29.1	24.5	34.6
036	GOLCONDA	MAX	40.9	46.9	53.3	60.8	70.3	81.7	91.2	89.9	80.2	67.4	50.8	41.3	64.6
		MEAN	29.6	34.9	40.1	45.9	54.2	63.8	71.6	69.9	60.8	49.4	37.4	29.6	48.9
		MIN	18.3	22.8	26.9	30.9	38.1	45.9	51.9	49.9	41.3	31.4	24.0	17.8	33.3
037	GOLDFIELD	MAX	42.4	47.3	53.3	61.2	70.1	81.4	88.1	86.3	77.8	65.8	51.4	43.0	64.0
		MEAN	32.0	36.3	41.5	48.1	56.6	66.7	73.7	72.2	64.0	52.6	40.0	32.1	51.3
		MIN	21.5	25.3	29.7	35.0	43.0	51.9	59.3	58.1	50.2	39.3	28.6	21.2	38.6
038	GREAT BASIN NATL PARK	MAX	39.8	42.1	48.4	56.1	65.5	77.2	85.2	82.9	73.0	60.6	47.5	40.4	59.9
		MEAN	28.7	31.4	36.6	43.6	52.7	63.1	71.3	69.3	60.0	48.4	36.0	29.1	47.5
		MIN	17.6	20.7	24.8	31.0	39.9	48.9	57.4	55.6	46.9	36.1	24.5	17.7	35.1
039	HAWTHORNE AP	MAX	47.9	54.9	61.4	68.9	77.8	87.5	95.3	92.7	84.3	71.2	57.5	48.3	70.6
		MEAN	36.4	42.2	47.8	54.1	62.2	70.9	78.2	75.9	67.7	56.1	44.7	36.5	56.1
		MIN	24.9	29.4	34.1	39.2	46.5	54.3	61.0	59.0	51.0	41.0	31.8	24.6	41.4
041	IMLAY	MAX	42.6	49.9	57.0	63.9	72.5	82.6	91.6	90.5	80.7	68.5	52.6	43.4	66.3
		MEAN	30.3	36.7	42.3	47.8	56.2	65.5	73.4	71.5	62.0	50.3	37.9	30.1	50.3
		MIN	17.9	23.5	27.5	31.7	39.9	48.3	55.1	52.5	43.2	32.0	23.1	16.8	34.3
042	JACKPOT	MAX	38.0	42.5	48.9	56.7	65.4	75.9	85.3	84.9	74.5	62.8	46.6	39.0	60.0
		MEAN	26.7	31.2	37.4	43.5	51.4	60.3	68.0	67.0	57.6	47.1	34.6	27.5	46.0
		MIN	15.4	19.8	25.9	30.2	37.3	44.7	50.6	49.1	40.7	31.4	22.5	16.0	32.0
043	JIGGS 8 SSE ZAGA	MAX	36.7	41.8	48.7	56.4	65.0	75.7	85.4	84.4	74.9	62.4	47.3	38.0	59.7
		MEAN	24.6	28.8	35.3	41.5	49.4	57.8	65.5	64.4	55.6	45.1	33.2	25.4	43.9
		MIN	12.5	15.7	21.9	26.6	33.7	39.8	45.5	44.4	36.3	27.8	19.1	12.7	28.0
044	KINGS RIVER VALLEY	MAX	40.5	47.2	55.0	63.6	72.5	82.9	92.3	91.5	81.8	69.0	51.2	41.2	65.7
		MEAN	28.6	35.1	41.3	47.6	55.7	64.0	72.0	70.5	61.6	50.5	37.6	29.0	49.5
		MIN	16.7	23.0	27.5	31.5	38.8	45.1	51.7	49.5	41.3	32.0	23.9	16.8	33.2
045	LAGES	MAX	38.9	42.8	49.4	57.6	67.2	78.6	87.2	85.8	76.0	63.2	48.4	40.0	61.3
		MEAN	26.4	30.8	36.9	43.4	51.9	61.6	69.5	68.2	58.4	46.9	35.2	26.9	46.3
		MIN	13.9	18.7	24.4	29.2	36.6	44.6	51.7	50.5	40.7	30.5	22.0	13.7	31.4
046	LAHONTAN DAM	MAX	45.2	52.7	59.5	66.1	75.3	85.5	94.0	92.5	83.4	70.7	55.6	46.5	68.9
		MEAN	34.6	41.0	46.9	52.6	61.3	70.2	78.5	76.9	68.1	56.5	43.6	35.2	55.5
		MIN	23.9	29.2	34.2	39.1	47.3	54.9	62.9	61.3	52.8	42.2	31.5	23.9	41.9
047	LAMOILLE YOST	MAX	37.1	41.5	48.5	56.1	65.0	75.4	85.0	84.4	74.7	62.1	46.5	37.8	59.5
		MEAN	25.5	29.5	35.9	42.0	49.9	58.5	66.1	65.3	56.4	45.7	33.6	26.0	44.5
		MIN	13.9	17.4	23.3	27.9	34.7	41.5	47.1	46.2	38.0	29.3	20.6	14.1	29.5
048	LAS VEGAS AP	MAX	57.1	63.0	69.5	78.1	87.8	98.9	104.1	101.8	93.8	80.8	66.0	57.3	79.9
		MEAN	47.0	52.2	58.3	66.0	75.4	85.6	91.2	89.3	81.3	68.7	55.0	47.0	68.1
		MIN	36.8	41.4	47.0	53.9	62.9	72.3	78.2	76.7	68.8	56.5	44.0	36.6	56.3
049	LAUGHLIN	MAX	63.2	69.5	75.4	84.3	93.9	104.4	108.4	107.2	100.0	87.9	72.7	63.6	85.9
		MEAN	52.7	57.6	62.4	69.8	79.1	88.7	94.7	93.5	86.5	74.2	60.8	53.2	72.8
		MIN	42.2	45.7	49.3	55.2	64.3	73.0	81.0	79.8	73.0	60.5	48.8	42.7	59.6



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEVADA


No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
050	LEHMAN CAVES NM	MAX	40.3	43.5	49.5	57.2	67.0	78.2	85.5	83.3	74.3	61.5	48.1	41.2	60.8
		MEAN	29.9	32.9	38.0	44.8	53.6	64.0	71.3	69.7	60.8	49.2	37.1	30.9	48.5
		MIN	19.5	22.3	26.4	32.3	40.2	49.7	57.0	56.1	47.2	36.9	26.0	20.5	36.2
051	LEONARD CREEK RANCH	MAX	39.9	47.3	55.1	63.8	73.1	82.8	92.0	90.0	80.5	67.1	50.5	40.5	65.2
		MEAN	30.2	36.6	42.8	49.4	57.7	66.1	73.9	72.3	63.9	52.4	39.3	30.6	51.3
		MIN	20.5	25.9	30.5	34.9	42.3	49.3	55.7	54.6	47.2	37.7	28.1	20.7	37.3
052	LOVELOCK	MAX	41.3	50.1	57.8	65.3	74.0	83.7	91.7	89.8	80.2	67.3	51.5	42.3	66.3
		MEAN	29.8	37.2	43.2	49.5	57.9	66.2	73.0	70.8	62.2	50.6	37.7	30.0	50.7
		MIN	18.3	24.3	28.6	33.7	41.7	48.6	54.3	51.8	44.1	33.9	23.9	17.6	35.1
053	LOVELOCK DERBY AP	MAX	42.1	50.5	57.7	65.3	74.7	85.1	94.0	91.9	82.0	68.9	52.8	42.9	67.3
		MEAN	29.0	35.9	41.9	48.7	57.7	66.6	74.0	71.5	62.2	50.2	37.0	28.7	50.3
		MIN	15.9	21.3	26.1	32.1	40.7	48.1	53.9	51.0	42.4	31.4	21.1	14.4	33.2
054	LUND	MAX	42.4	47.5	53.9	61.8	70.7	81.3	88.7	86.7	78.8	67.3	52.5	44.2	64.7
		MEAN	28.4	33.5	39.1	45.4	53.6	62.4	69.2	67.6	59.9	49.4	37.1	29.5	47.9
		MIN	14.4	19.4	24.2	29.0	36.5	43.5	49.7	48.5	41.0	31.4	21.6	14.8	31.2
055	MCDERMITT	MAX	38.8	45.1	51.8	59.1	68.7	79.2	88.7	87.6	77.5	65.1	48.4	39.4	62.5
		MEAN	27.1	32.7	38.4	44.0	52.4	60.7	68.3	66.4	57.0	46.1	35.0	27.2	46.3
		MIN	15.3	20.2	25.0	28.9	36.0	42.1	47.9	45.2	36.5	27.0	21.6	14.9	30.1
056	MCGILL	MAX	38.6	42.2	48.6	56.3	65.9	77.4	85.5	83.7	74.7	62.5	48.0	40.1	60.3
		MEAN	26.9	30.5	36.4	42.8	51.3	61.6	69.6	68.3	59.1	47.9	35.4	27.9	46.5
		MIN	15.1	18.8	24.1	29.2	36.6	45.8	53.7	52.8	43.4	33.3	22.7	15.7	32.6
057	MIDDLGATE LOWERY	MAX	45.1	51.8	58.0	63.5	72.0	81.6	90.2	90.0	80.8	69.7	55.8	46.2	67.1
		MEAN	30.6	36.3	41.1	45.6	54.1	62.4	69.5	68.5	59.6	49.4	38.0	30.4	48.8
		MIN	16.0	20.8	24.2	27.7	36.2	43.1	48.8	46.9	38.3	29.0	20.1	14.5	30.5
058	MINA	MAX	47.3	53.6	60.0	66.8	76.2	87.4	95.9	94.2	84.8	71.9	56.8	47.5	70.2
		MEAN	34.6	39.8	45.6	51.8	60.9	71.2	78.7	76.6	67.2	55.0	42.7	34.2	54.9
		MIN	21.8	26.0	31.2	36.8	45.6	54.9	61.5	59.0	49.5	38.1	28.6	20.9	39.5
059	MINDEN	MAX	47.4	53.2	58.7	65.2	73.4	83.3	91.6	90.9	83.6	72.2	57.8	48.8	68.8
		MEAN	32.1	37.0	41.6	46.8	54.2	62.5	68.9	67.6	60.7	50.4	39.8	32.5	49.5
		MIN	16.7	20.8	24.5	28.3	35.0	41.7	46.1	44.2	37.7	28.6	21.8	16.1	30.1
060	MONTEELLO 2 SE	MAX	37.1	42.7	52.2	61.6	71.1	82.8	92.6	90.8	80.1	66.5	48.9	38.7	63.8
		MEAN	23.0	28.9	37.2	43.9	52.7	62.0	69.7	67.4	57.4	45.3	32.0	23.2	45.2
		MIN	8.9	15.0	22.1	26.1	34.2	41.1	46.7	43.9	34.6	24.0	15.1	7.6	26.6
061	MOUNTAIN CITY R S	MAX	39.0	42.8	48.4	56.6	64.2	74.4	84.3	83.9	74.9	63.6	47.6	39.7	60.0
		MEAN	25.1	28.8	34.8	41.1	48.0	55.5	62.3	61.1	52.6	43.4	33.2	25.5	42.6
		MIN	11.1	14.8	21.2	25.5	31.7	36.6	40.2	38.2	30.3	23.1	18.7	11.3	25.2
062	OASIS	MAX	33.9	39.5	46.9	55.4	65.2	76.3	86.0	84.8	74.3	61.4	45.0	35.8	58.7
		MEAN	21.0	26.8	33.6	41.0	50.0	59.3	67.4	65.9	56.0	44.2	31.6	22.4	43.3
		MIN	8.1	14.0	20.3	26.5	34.8	42.3	48.7	46.9	37.7	26.9	18.1	9.0	27.8
063	OROVADA 3 W	MAX	41.4	48.3	54.8	62.4	71.2	82.0	91.2	90.2	80.8	68.7	51.9	42.4	65.4
		MEAN	30.0	35.8	41.2	47.3	55.1	63.9	71.4	69.9	60.8	50.5	37.9	30.3	49.5
		MIN	18.6	23.3	27.6	32.1	39.0	45.8	51.5	49.6	40.8	32.3	23.9	18.1	33.6
064	PAHRANAGAT W L REFUGE	MAX	52.1	58.4	64.3	72.5	82.0	93.3	99.3	97.5	89.7	77.4	62.4	53.0	75.2
		MEAN	38.5	43.7	48.9	56.3	65.3	75.3	81.5	79.8	71.6	59.9	46.9	38.7	58.9
		MIN	24.9	29.0	33.4	40.0	48.5	57.2	63.6	62.0	53.5	42.4	31.3	24.4	42.5
065	PAHRUMP	MAX	57.5	62.5	67.5	75.0	83.9	94.7	100.3	98.8	91.8	80.3	66.5	57.9	78.1
		MEAN	42.6	47.4	52.7	59.3	68.0	77.6	83.8	82.0	74.3	62.3	49.9	42.2	61.8
		MIN	27.7	32.3	37.9	43.6	52.0	60.4	67.2	65.2	56.7	44.3	33.3	26.4	45.6
066	PARADISE VALLEY 1 NW	MAX	40.8	46.8	53.9	62.1	71.3	81.9	91.0	90.0	80.7	68.3	51.2	42.0	65.0
		MEAN	28.8	33.9	39.6	45.5	53.2	61.6	68.8	67.7	59.2	49.1	37.1	29.3	47.8
		MIN	16.8	21.0	25.3	28.9	35.1	41.3	46.5	45.3	37.7	29.9	22.9	16.6	30.6
067	PARIS RANCH	MAX	43.3	50.5	58.0	65.8	76.1	86.9	96.4	94.9	85.3	72.2	54.4	44.5	69.0
		MEAN	31.3	37.5	43.6	49.6	58.6	67.5	75.3	73.6	64.9	53.2	39.8	31.6	52.2
		MIN	19.3	24.5	29.1	33.4	41.0	48.0	54.2	52.3	44.5	34.1	25.1	18.6	35.3
068	PINE VALLEY BAILEY RANC	MAX	39.5	44.7	52.9	60.3	68.9	81.0	90.7	89.2	79.1	67.6	50.0	39.7	63.6
		MEAN	26.4	30.5	38.4	43.3	50.1	59.1	65.8	64.6	55.9	44.9	33.5	25.8	44.9
		MIN	13.2	16.3	23.8	26.2	31.3	37.1	40.9	39.9	32.7	22.2	16.9	11.8	26.0
069	PIOCHE	MAX	41.8	45.9	51.2	59.3	68.4	79.7	86.7	84.6	76.5	65.0	50.9	43.3	62.8
		MEAN	31.4	35.0	39.8	46.8	55.8	65.9	72.7	70.7	62.9	51.7	39.3	32.2	50.4
		MIN	20.9	24.0	28.3	34.3	43.1	52.0	58.7	56.8	49.2	38.3	27.6	21.0	37.9
070	RED ROCK CANYON ST PK	MAX	52.8	57.2	62.6	70.5	79.6	90.3	95.9	93.8	86.3	75.0	61.3	53.5	73.2
		MEAN	41.3	45.2	50.4	57.6	66.3	76.8	83.2	81.0	72.7	61.2	48.6	41.5	60.5
		MIN	29.7	33.1	38.2	44.6	52.9	63.3	70.5	68.2	59.1	47.4	35.9	29.5	47.7
071	REESE RIVER O'TOOLE	MAX	41.1	44.3	49.1	56.2	65.1	75.6	83.9	82.5	74.1	62.8	49.5	42.3	60.5
		MEAN	26.1	29.9	35.1	39.8	47.6	55.9	62.3	61.2	53.4	43.7	33.5	26.5	42.9
		MIN	11.1	15.4	21.0	23.4	30.0	36.1	40.7	39.8	32.6	24.5	17.4	10.7	25.2
072	RENO CANNON INTL AP	MAX	45.5	51.7	57.2	64.1	72.6	82.8	91.2	89.9	81.7	69.9	55.3	46.4	67.4
		MEAN	33.6	38.5	43.3	48.6	56.4	64.7	71.3	69.9	62.4	52.0	40.9	33.6	51.3
		MIN	21.8	25.4	29.3	33.2	40.2	46.5	51.4	49.9	43.1	34.0	26.4	20.7	35.2



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEVADA

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
073	RUBY LAKE	MAX	38.8	42.4	48.7	56.2	65.9	77.3	86.2	84.7	75.1	63.5	48.4	39.8	60.6
		MEAN	26.3	30.0	36.6	43.4	52.1	61.4	69.1	67.2	58.1	47.0	35.3	27.1	46.1
		MIN	13.8	17.6	24.5	30.6	38.3	45.5	52.0	49.6	41.0	30.5	22.1	14.4	31.7
074	RUTH	MAX	39.1	42.9	48.0	56.1	65.1	76.6	85.0	82.9	74.2	61.9	47.6	40.4	60.0
		MEAN	22.7	26.9	33.6	40.0	48.2	57.4	65.0	63.4	54.2	43.2	31.6	23.5	42.5
		MIN	6.3	10.8	19.1	23.9	31.2	38.2	45.0	43.8	34.1	24.4	15.5	6.5	24.9
075	RYE PATCH DAM	MAX	43.4	51.3	58.6	66.2	75.2	85.6	94.6	93.1	83.7	70.9	54.4	44.8	68.5
		MEAN	30.7	37.2	42.9	48.8	57.2	65.9	73.2	71.4	62.9	51.4	39.1	31.0	51.0
		MIN	17.9	23.1	27.1	31.4	39.1	46.2	51.7	49.6	42.1	31.9	23.7	17.2	33.4
076	SEARCHLIGHT	MAX	52.7	57.6	63.2	71.3	80.9	91.8	96.5	94.7	87.3	75.6	61.7	52.7	73.8
		MEAN	44.0	47.9	52.2	59.5	68.2	78.6	83.7	82.3	75.4	64.4	51.9	44.2	62.7
		MIN	35.3	38.2	41.2	47.7	55.5	65.3	70.8	69.8	63.5	53.2	42.0	35.6	51.5
077	SHOSHONE 5 N	MAX	42.5	46.6	52.9	61.5	70.3	80.9	87.9	85.6	77.3	65.5	50.9	43.2	63.8
		MEAN	28.5	32.4	38.4	44.9	53.0	62.0	68.7	66.8	58.5	47.9	36.2	28.6	47.2
		MIN	14.4	18.2	23.9	28.3	35.7	43.0	49.4	47.9	39.6	30.3	21.4	13.9	30.5
078	SILVERPEAK	MAX	47.3	55.1	61.8	70.2	79.5	90.5	97.3	95.4	86.4	73.4	57.4	47.0	71.8
		MEAN	33.4	40.1	47.2	54.5	63.9	73.8	79.9	77.6	68.7	55.8	42.2	32.6	55.8
		MIN	19.4	25.1	32.5	38.8	48.2	57.0	62.4	59.7	50.9	38.1	27.0	18.1	39.8
079	SMITH 6 N	MAX	44.7	51.0	57.1	64.1	72.9	83.0	91.2	89.5	80.7	68.7	54.6	45.8	66.9
		MEAN	31.0	36.3	41.7	47.1	55.3	64.0	70.7	69.1	60.8	49.8	38.7	31.1	49.6
		MIN	17.3	21.6	26.3	30.0	37.7	44.9	50.1	48.6	40.8	30.8	22.8	16.4	32.3
080	SMOKE CREEK ESPIL	MAX	43.5	49.4	57.3	64.6	73.8	83.7	93.0	92.0	82.9	70.4	53.7	44.0	67.4
		MEAN	30.9	36.5	43.0	49.0	57.4	66.2	73.8	71.9	63.7	51.7	38.6	30.3	51.1
		MIN	18.3	23.5	28.7	33.3	40.9	48.7	54.6	51.7	44.4	33.0	23.4	16.5	34.8
081	SMOKEY VALLEY	MAX	44.1	50.2	56.9	64.6	73.4	84.1	91.1	89.1	80.5	69.0	54.1	45.1	66.9
		MEAN	29.9	35.9	41.7	48.0	56.1	65.7	72.4	70.6	61.9	51.1	38.5	30.4	50.2
		MIN	15.7	21.5	26.5	31.3	38.8	47.3	53.6	52.1	43.3	33.1	22.9	15.6	33.5
082	SNOWBALL RANCH	MAX	40.7	43.6	49.0	56.5	64.9	74.6	82.1	80.0	72.7	62.1	48.9	42.1	59.8
		MEAN	27.4	30.4	35.6	41.5	48.9	57.1	64.5	62.8	55.7	46.1	34.7	28.5	44.4
		MIN	14.1	17.1	22.1	26.5	32.9	39.6	46.9	45.6	38.7	30.1	20.5	14.9	29.1
083	SPARKS	MAX	46.2	52.2	58.3	65.4	72.8	82.4	90.2	89.2	81.7	70.9	55.9	47.6	67.7
		MEAN	34.1	38.8	44.4	49.8	57.1	65.1	71.1	70.1	62.9	52.6	41.8	34.7	51.9
		MIN	21.9	25.3	30.5	34.1	41.3	47.7	52.0	50.9	44.0	34.2	27.6	21.8	35.9
084	SPRING VALLEY ST PK	MAX	42.1	46.2	51.9	60.2	69.4	81.2	87.9	85.4	77.7	66.3	52.2	44.1	63.7
		MEAN	24.5	30.1	35.8	41.8	49.7	57.9	64.7	63.1	55.3	44.7	33.6	25.9	43.9
		MIN	6.9	13.9	19.6	23.4	30.0	34.6	41.4	40.7	32.8	23.1	14.9	7.6	24.1
085	STEAD	MAX	42.5	47.3	53.0	59.8	68.0	78.0	86.7	85.8	77.5	66.1	52.3	43.8	63.4
		MEAN	31.3	35.7	40.8	46.5	54.0	62.9	70.1	69.2	60.8	50.5	39.1	32.0	49.4
		MIN	20.1	24.0	28.6	33.2	40.0	47.7	53.5	52.5	44.1	34.9	25.8	20.1	35.4
086	SUNNYSIDE	MAX	45.2	50.6	56.7	64.4	73.4	84.5	91.3	88.8	80.8	69.1	54.6	46.7	67.2
		MEAN	30.2	35.5	41.1	47.7	56.2	65.9	72.5	70.1	61.9	50.4	38.4	31.1	50.1
		MIN	15.1	20.3	25.5	30.9	39.0	47.2	53.6	51.3	42.9	31.7	22.1	15.4	32.9
087	SUNRISE MANOR LAS VEGAS	MAX	59.7	66.2	72.7	81.6	91.0	102.0	107.5	105.3	97.6	84.6	69.5	60.0	83.1
		MEAN	43.9	49.5	55.8	63.9	73.0	82.2	87.8	86.1	78.2	65.5	52.1	43.9	65.2
		MIN	28.0	32.7	38.8	46.1	54.9	62.3	68.1	66.8	58.7	46.3	34.7	27.8	47.1
088	SUTCLIFFE	MAX	45.1	49.4	56.0	62.7	71.2	81.0	88.3	87.0	78.8	66.5	53.6	46.0	65.5
		MEAN	36.8	40.3	45.8	51.3	59.3	68.0	75.3	74.5	66.9	56.1	44.6	37.6	54.7
		MIN	28.4	31.1	35.6	39.8	47.3	54.9	62.3	61.9	55.0	45.6	35.6	29.1	43.9
089	TONOPAH AP	MAX	44.5	50.3	56.4	64.3	73.6	84.7	91.8	89.7	81.0	68.6	53.6	45.4	67.0
		MEAN	32.0	37.2	42.6	49.2	58.0	67.7	74.2	72.2	64.3	52.9	39.7	32.5	51.9
		MIN	19.5	24.1	28.7	34.0	42.3	50.7	56.5	54.7	47.5	37.1	25.8	19.5	36.7
090	TOPAZ LAKE 4 N	MAX	44.3	49.0	54.1	61.0	69.3	79.9	88.0	87.0	78.1	66.7	53.7	45.1	64.7
		MEAN	33.4	37.1	42.1	47.4	55.4	64.9	72.0	71.0	62.9	52.4	41.0	33.6	51.1
		MIN	22.5	25.2	30.0	33.7	41.5	49.8	56.0	55.0	47.7	38.1	28.3	22.1	37.5
091	TUSCARORA	MAX	36.1	39.7	45.6	53.4	62.9	73.6	83.7	82.9	73.1	61.3	44.2	37.3	57.8
		MEAN	26.0	29.4	35.1	41.3	49.2	58.1	66.7	66.2	57.5	47.1	33.9	27.3	44.8
		MIN	15.8	19.1	24.5	29.1	35.5	42.5	49.7	49.4	41.8	32.9	23.5	17.3	31.8
092	TWIN SPRINGS FALLINI	MAX	41.3	50.0	58.3	66.9	75.5	84.8	91.9	90.1	80.2	68.8	53.4	43.7	67.1
		MEAN	26.6	34.9	42.0	48.3	57.0	65.2	72.0	69.7	60.1	49.4	36.1	27.8	49.1
		MIN	11.8	19.8	25.6	29.7	38.4	45.5	52.0	49.2	39.9	30.0	18.8	11.9	31.1
093	VALLEY OF FIRE ST PK	MAX	57.6	63.6	70.6	79.1	88.8	99.7	105.2	103.2	95.6	82.4	66.9	57.7	80.9
		MEAN	47.7	53.0	58.6	66.3	75.7	86.2	92.2	90.2	82.6	70.0	56.1	47.8	68.9
		MIN	37.8	42.4	46.6	53.5	62.5	72.6	79.2	77.2	69.6	57.6	45.2	37.8	56.8
094	VIRGINIA CITY	MAX	40.2	43.0	47.9	54.4	63.2	73.0	82.2	81.0	72.4	61.1	48.0	41.1	59.0
		MEAN	31.5	34.2	38.5	44.3	52.5	61.7	70.1	69.1	60.9	50.3	38.7	32.3	48.7
		MIN	22.7	25.3	29.0	34.1	41.8	50.3	57.9	57.2	49.3	39.5	29.3	23.5	38.3
095	WABUSKA 6 SE	MAX	46.5	53.0	59.7	66.5	75.3	85.1	93.4	91.9	82.8	71.1	56.1	47.8	69.1
		MEAN	31.1	36.5	42.8	48.8	57.1	65.6	72.1	70.3	61.4	50.6	38.7	30.9	50.5
		MIN	15.7	19.9	25.8	31.1	38.9	46.0	50.8	48.6	40.0	30.1	21.2	14.0	31.8




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

No.	Station Name	PRECIPITATION NORMALS (Total in Inches)												ANNUAL
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
001	AMARGOSA FARMS GAREY	.51	.62	.64	.19	.24	.07	.26	.39	.29	.13	.27	.31	3.92
002	ARTHUR 4 NW	1.60	1.44	1.47	1.25	1.60	.94	.52	.69	1.08	1.20	1.58	1.48	14.85
003	AUSTIN	1.49	1.18	1.88	1.62	1.98	.86	.48	.64	.80	1.01	1.18	1.21	14.33
004	BATTLE MOUNTAIN 4 SE	.86	.68	.85	.91	1.30	.77	.28	.34	.68	.67	.71	.72	8.77
005	BEATTY 8 N	.74	.92	1.03	.38	.38	.21	.38	.40	.44	.27	.41	.49	6.05
006	BEOVAWE	.84	.68	.84	.78	1.33	.72	.27	.46	.61	.68	.82	.81	8.84
007	BEOVAWE U OF N RANCH	1.03	.72	1.29	1.10	1.51	.86	.47	.53	.78	.96	.96	.83	11.04
008	BLUE EAGLE RANCH HANKS	.77	.62	.98	.86	1.05	.45	.52	.69	.75	1.02	.69	.38	8.78
009	BOULDER CITY	.73	.77	.93	.25	.22	.11	.55	.89	.62	.29	.49	.47	6.32
010	BUNKERVILLE	.95	.85	.80	.21	.14	.09	.46	.46	.28	.44	.55	.33	5.56
011	CALIENTE	.95	1.05	1.37	.71	.74	.37	.72	1.05	.78	.89	.80	.49	9.92
012	CALLVILLE BAY	.58	.94	.47	.24	.16	.09	.37	1.39	.20	.21	.34	.35	5.34
013	CARLIN NEWMONT MINE	1.26	.96	1.29	1.14	1.46	.89	.37	.43	1.05	.96	1.12	1.43	12.36
014	CARSON CITY	1.82	1.66	1.26	.42	.52	.40	.22	.32	.51	.69	1.26	1.28	10.36
015	CLOVER VALLEY	1.71	1.27	1.32	1.17	1.56	.99	.44	.65	.98	.99	1.65	1.69	14.42
016	CONTACT	.90	.46	.91	.77	1.68	1.17	.70	.57	.94	.83	.77	.75	10.45
017	DEETH	1.16	.97	1.38	1.33	1.78	.96	.44	.47	.90	.93	1.19	.95	12.46
018	DENIO	.94	.84	1.15	1.02	1.13	.86	.26	.49	.55	.64	1.06	.88	9.82
019	DESERT NATL WL RANGE	.47	.58	.78	.28	.27	.14	.49	.42	.42	.29	.29	.39	4.82
020	DESERT ROCK AP	.93	.69	.49	.26	.22	.06	.52	.44	.20	.26	.34	.49	4.90
021	DIAMOND VALLEY USDA	.80	.54	1.02	.69	1.28	.81	.54	.75	.69	.84	.68	.50	9.14
022	DUCKWATER	.50	.46	.72	.58	.87	.46	.53	.82	.64	.87	.36	.28	7.09
023	DUFURENA	.67	.55	.78	.72	.96	.78	.35	.50	.47	.50	.67	.69	7.64
024	DYER	.37	.44	.55	.40	.63	.35	.44	.41	.49	.39	.39	.28	5.14
026	ELGIN	1.39	1.71	1.76	.64	.53	.37	.85	.64	.66	.72	.90	.70	10.87
027	ELKO	1.14	.88	.98	.81	1.08	.67	.30	.36	.68	.71	1.05	.93	9.59
028	ELY	.74	.75	1.05	.90	1.29	.66	.60	.91	.94	1.00	.63	.50	9.97
029	EMIGRANT PASS HWY STA	1.35	1.09	1.41	1.27	1.68	.99	.31	.45	.79	.97	1.31	1.13	12.75
030	EUREKA	1.00	.91	1.45	1.16	1.54	.74	.55	.83	1.00	1.05	.95	.88	12.06
031	FALLON EXPERIMENT STN	.54	.48	.50	.57	.71	.53	.16	.26	.37	.45	.39	.34	5.30
032	FALLON NAAS	.62	.49	.55	.56	.79	.60	.19	.26	.39	.47	.42	.37	5.71
033	GERLACH	.72	.73	.76	.81	.94	.71	.33	.40	.41	.35	.93	.81	7.90
034	GIBBS RANCH	1.18	.78	.97	.74	1.50	1.01	.62	.45	.76	.69	1.11	.96	10.77
035	GLENBROOK	2.86	2.68	2.38	.88	.88	.54	.31	.48	.87	1.15	2.15	2.21	17.39
036	GOLCONDA	.70	.65	.82	.62	1.03	.69	.25	.35	.47	.53	.79	.75	7.65
037	GOLDFIELD	.66	.83	.89	.52	.71	.41	.43	.67	.53	.53	.29	.27	6.74
038	GREAT BASIN NATL PARK	.90	1.25	1.42	1.02	1.47	.94	.79	1.35	1.73	1.24	.79	.71	13.61
039	HAWTHORNE AP	.42	.40	.37	.54	.47	.44	.26	.26	.29	.40	.35	.26	4.46
040	HIKO	.62	.71	.95	.38	.57	.38	.21	.33	.34	.40	.39	.48	5.76
041	IMLAY	.70	.75	.99	.86	1.08	.74	.26	.36	.50	.59	.75	.74	8.32
042	JACKPOT	.57	.48	.98	.98	1.95	1.35	.54	.65	.64	.69	.79	.55	10.17
043	JIGGS 8 SSE ZAGA	1.30	.96	1.52	1.35	1.97	.98	.44	.62	.88	1.10	1.19	1.04	13.35
044	KINGS RIVER VALLEY	1.08	.87	.82	.78	.88	.70	.25	.27	.47	.55	.87	1.10	8.64
045	LAGES	.67	.58	.84	.70	.90	.66	.60	.41	.72	.97	.44	.41	7.90
046	LAHONTAN DAM	.55	.50	.54	.42	.59	.40	.30	.41	.37	.33	.47	.42	5.30
047	LAMOILLE YOST	1.26	1.13	1.60	1.40	2.03	1.15	.47	.53	1.11	1.10	1.26	1.01	14.05
048	LAS VEGAS AP	.59	.69	.59	.15	.24	.08	.44	.45	.31	.24	.31	.40	4.49
049	LAUGHLIN	.99	.85	.64	.12	.02	.07	.27	.44	.20	.20	.27	.14	4.21
050	LEHMAN CAVES NM	.82	.91	1.57	1.13	1.35	.55	1.13	1.10	1.22	1.25	.96	.61	12.60
051	LEONARD CREEK RANCH	1.18	1.04	1.05	.77	.83	.77	.34	.41	.51	.57	.94	1.06	9.47
052	LOVELOCK	.58	.51	.48	.64	.65	.57	.17	.27	.50	.50	.49	.54	5.90
053	LOVELOCK DERBY AP	.54	.48	.52	.48	.54	.49	.15	.30	.41	.36	.40	.51	5.18
054	LUND	.89	.84	1.25	.86	1.19	.85	.67	1.07	.96	1.06	.74	.63	11.01
055	MCDERMITT	.81	.56	.90	1.06	1.17	1.02	.34	.36	.58	.70	.81	.90	9.21
056	MCGILL	.54	.54	.68	.87	1.21	.72	.66	.74	.94	.95	.54	.35	8.74
057	MIDDLEGATE LOWERY	.46	.43	.52	.45	.92	.54	.05	.13	.26	.40	.60	.37	5.13
058	MINA	.45	.46	.67	.61	.78	.55	.49	.41	.42	.50	.40	.33	6.07
059	MINDEN	1.47	1.19	1.10	.33	.46	.42	.22	.33	.39	.58	.89	1.00	8.38
060	MONTEELLO 2 SE	.68	.58	.71	.74	1.17	.81	.78	.59	.76	.57	.62	.46	8.47
061	MOUNTAIN CITY R S	1.24	1.06	1.22	1.10	1.84	.91	.53	.40	.86	1.04	1.39	1.25	12.84
062	OASIS	.68	.55	.87	.64	1.13	.87	.53	.67	.53	.61	.58	.45	8.11
063	OROVADA 3 W	.93	.81	1.20	1.29	1.16	.88	.31	.52	.72	.83	.95	.84	10.44
064	PAHRANAGAT W L REFUGE	.71	.69	.88	.55	.49	.19	.40	.70	.40	.61	.53	.46	6.61
065	PAHRUMP	.73	.83	.82	.31	.29	.09	.39	.40	.31	.19	.36	.46	5.18
066	PARADISE VALLEY 1 NW	1.38	1.22	1.10	.69	.89	.68	.32	.32	.63	.71	1.35	1.45	10.74
067	PARIS RANCH	.96	.84	1.00	.95	.97	.50	.33	.32	.53	.70	.97	.87	8.94
068	PINE VALLEY BAILEY RANC	.97	.72	1.16	1.12	1.35	.80	.26	.50	.79	.91	.94	.72	10.24
069	PIOCHE	1.50	1.59	1.83	.95	1.17	.52	.92	1.27	.96	1.14	.94	.97	13.76
070	RED ROCK CANYON ST PK	1.54	1.80	2.03	.52	.29	.12	.85	1.06	.51	.34	.74	.76	10.56




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AMARGOSA FARMS GAREY	HDD	586	404	313	157	41	1	0	0	5	103	372	592	2574
		CDD	0	1	21	83	236	468	652	607	366	132	8	0	2574
002	ARTHUR 4 NW	HDD	1238	1028	948	702	477	232	70	81	270	593	953	1218	7810
		CDD	0	0	0	0	1	22	89	74	7	0	0	0	193
003	AUSTIN	HDD	1089	902	869	681	456	180	19	43	195	511	855	1083	6883
		CDD	0	0	0	0	11	54	153	136	32	4	0	0	390
004	BATTLE MOUNTAIN 4 SE	HDD	1091	810	701	509	278	80	9	11	134	450	802	1090	5965
		CDD	0	0	0	2	23	105	275	219	54	2	0	0	680
005	BEATTY 8 N	HDD	756	573	492	304	128	13	0	0	21	196	506	751	3740
		CDD	0	0	3	22	95	245	425	384	202	46	1	0	1423
006	BEOWAWE	HDD	1149	858	748	547	335	134	27	44	185	497	836	1131	6491
		CDD	0	0	0	1	31	106	228	199	52	1	0	0	618
007	BEOWAWE U OF N RANCH	HDD	1167	898	826	643	430	180	38	55	240	570	883	1149	7079
		CDD	0	0	0	0	5	35	123	86	11	0	0	0	260
008	BLUE EAGLE RANCH HANKS	HDD	1179	859	703	475	241	53	1	4	88	412	817	1136	5968
		CDD	0	0	0	5	33	149	303	247	60	3	0	0	800
009	BOULDER CITY	HDD	604	409	322	154	45	1	0	0	2	83	343	594	2557
		CDD	0	1	37	103	273	527	713	663	430	161	13	0	2921
010	BUNKERVILLE	HDD	637	433	301	124	25	0	0	0	3	102	396	656	2677
		CDD	0	0	14	84	254	478	699	665	403	104	2	0	2703
011	CALIENTE	HDD	1019	756	653	433	209	45	2	4	74	355	710	998	5258
		CDD	0	0	0	8	46	171	335	283	87	12	0	0	942
013	CARLIN NEWMONT MINE	HDD	1179	974	902	669	428	163	23	26	165	488	886	1157	7060
		CDD	0	0	0	0	14	76	234	209	65	13	0	0	611
014	CARSON CITY	HDD	972	755	682	507	306	110	11	27	149	433	733	976	5661
		CDD	0	0	0	0	16	68	164	133	37	1	0	0	419
015	CLOVER VALLEY	HDD	1197	947	846	629	407	173	43	53	215	532	891	1171	7104
		CDD	0	0	0	0	2	37	129	101	17	0	0	0	286
016	CONTACT	HDD	1182	948	859	654	421	190	34	56	243	580	914	1180	7261
		CDD	0	0	0	0	5	55	140	106	16	0	0	0	322
017	DEETH	HDD	1318	1042	895	655	426	196	72	97	311	663	989	1293	7957
		CDD	0	0	0	0	1	21	80	52	5	0	0	0	159
018	DENIO	HDD	1052	814	743	538	334	129	19	28	164	447	786	1046	6100
		CDD	0	0	0	0	8	77	217	183	44	1	0	0	530
019	DESERT NATL WL RANGE	HDD	692	497	395	206	64	2	0	0	3	142	445	693	3139
		CDD	0	0	8	49	176	398	587	540	298	74	2	0	2132
020	DESERT ROCK AP	HDD	647	466	376	201	67	3	0	0	5	130	427	653	2975
		CDD	0	0	11	51	177	402	596	544	299	80	2	0	2162
021	DIAMOND VALLEY USDA	HDD	1280	990	877	669	458	204	49	73	266	591	944	1226	7627
		CDD	0	0	0	0	1	28	88	73	6	0	0	0	196
023	DUFURRENA	HDD	1137	912	855	641	420	196	51	69	290	617	930	1166	7284
		CDD	0	0	0	0	2	33	120	75	12	0	0	0	242
024	DYER	HDD	1033	772	656	451	247	51	1	8	107	387	745	1031	5489
		CDD	0	0	0	2	34	116	264	207	59	3	0	0	685
025	ECHO BAY	HDD	572	366	245	106	10	0	0	0	0	42	286	547	2174
		CDD	0	1	42	150	385	674	887	843	541	192	7	0	3722
026	ELGIN	HDD	794	599	522	334	146	18	0	0	30	222	545	774	3984
		CDD	0	0	1	14	64	212	398	366	170	33	0	0	1258
027	ELKO	HDD	1222	943	820	612	383	161	53	57	237	569	916	1208	7181
		CDD	0	0	0	0	2	62	181	135	31	1	0	0	412
028	ELY	HDD*	1240	996	903	690	459	178	26	48	258	605	938	1220	7561
		CDD*	0	0	0	0	0	22	98	69	7	0	0	0	196
029	EMIGRANT PASS HWY STA	HDD	1142	905	833	626	409	156	18	46	192	510	856	1117	6810
		CDD	0	0	0	3	16	81	229	200	63	8	0	0	600
030	EUREKA	HDD	1191	980	917	694	454	183	22	46	214	546	908	1167	7322
		CDD	0	0	0	0	4	38	130	110	22	1	0	0	305
031	FALLON EXPERIMENT STN	HDD	1032	755	662	462	254	67	9	15	133	420	750	1027	5586
		CDD	0	0	0	2	20	100	249	200	51	2	0	0	624
032	FALLON NAAS	HDD	989	719	613	422	212	37	4	7	88	363	710	992	5156
		CDD	0	0	0	9	48	141	331	286	88	9	0	0	912
033	GERLACH	HDD	1060	799	675	460	247	69	7	6	112	409	786	1083	5713
		CDD	0	0	0	3	30	118	284	238	66	2	0	0	741
034	GIBBS RANCH	HDD	1328	1071	964	723	500	245	84	92	287	633	1001	1281	8209
		CDD	0	0	0	0	0	18	87	51	7	0	0	0	163
035	GLENBROOK	HDD	989	857	796	699	509	258	107	106	221	497	776	973	6788
		CDD	0	0	0	0	1	12	57	60	12	1	0	0	143
036	GOLCONDA	HDD	1098	844	772	576	351	126	23	35	176	485	829	1099	6414
		CDD	0	0	0	1	17	90	227	187	47	1	0	0	570




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA


No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
001	AMARGOSA FARM	HIGHEST MEAN	51.6	58.4	62.4	72.4	78.0	84.9	89.8	89.3	81.0	73.3	59.5	51.3	89.8		
		MEDIAN	46.7	50.3	55.6	62.1	71.4	81.0	86.2	84.7	77.6	65.3	52.4	46.7	64.9		
		LOWEST MEAN	40.5	45.8	50.3	54.3	64.2	74.2	80.9	80.0	69.9	60.7	47.6	39.9	39.9		
		HIGHEST MEAN YEAR	1986	1995	1994	1989	1984	1994	1996	1994	1995	1988	1995	1989	1996		
		LOWEST MEAN YEAR	1979	1979	1977	1975	1998	1998	1987	1976	1986	1984	1985	1978	1978		
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.6	-0.6	-0.5	-0.3	-0.3	-0.4	-0.6	-0.6	-0.7	-0.8			
		MAX OBS TIME ADJUSTMENT	-0.7	-0.8	-1.0	-1.3	-1.2	-0.6	-0.8	-0.8	-0.8	-0.8	-0.6	-0.8			
		002	ARTHUR 4 NW	HIGHEST MEAN	32.1	35.8	41.1	49.1	56.3	62.8	69.9	68.2	60.9	53.9	40.4	33.8	69.9
				MEDIAN	24.8	27.3	34.0	41.1	49.8	58.0	66.0	64.8	56.4	45.5	33.6	26.1	44.4
				LOWEST MEAN	17.7	20.6	28.2	32.8	43.3	52.7	58.7	60.4	50.9	39.2	23.7	17.8	17.7
HIGHEST MEAN YEAR	1981			1991	1972	1987	1992	1974	1988	1971	1990	1988	1995	1980	1988		
LOWEST MEAN YEAR	1989			1993	1977	1975	1977	1998	1993	1975	1986	1984	1994	1990	1989		
MIN OBS TIME ADJUSTMENT	-0.7			-0.7	-0.6	-0.7	-0.6	-0.5	-0.4	-0.6	-0.6	-0.8	-0.8	-0.7			
MAX OBS TIME ADJUSTMENT	-0.5			-0.6	-0.7	-0.9	-0.5	-0.5	-0.4	-0.7	-0.5	-0.7	-0.4	-0.5			
003	AUSTIN			HIGHEST MEAN	37.9	41.2	43.1	49.9	58.8	66.2	73.1	73.3	64.4	56.7	45.7	37.7	73.3
				MEDIAN	30.6	32.1	36.5	41.6	50.9	61.0	69.5	67.8	59.7	48.7	36.2	30.9	47.3
				LOWEST MEAN	23.7	28.0	30.2	33.1	42.9	53.2	64.8	61.2	52.7	40.6	27.8	22.3	22.3
		HIGHEST MEAN YEAR	1986	1995	1972	1992	1992	1974	1994	1998	1979	1988	1995	1980	1998		
		LOWEST MEAN YEAR	1979	1993	1977	1975	1977	1995	1993	1976	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	0.4	0.5	-0.1	-0.4	-0.4	-0.4	-0.3	-0.5	-0.7	-0.4	0.2	0.2			
		MAX OBS TIME ADJUSTMENT	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1			
		004	BATTLE MOUNTA	HIGHEST MEAN	38.9	42.9	48.4	54.4	64.8	71.0	77.1	77.4	67.9	56.4	43.9	39.7	77.4
				MEDIAN	31.4	36.6	42.1	47.5	56.1	65.9	74.1	71.6	63.0	50.7	39.0	29.8	50.8
				LOWEST MEAN	17.6	26.2	37.7	40.0	51.7	61.1	67.4	67.2	56.1	45.4	30.1	18.7	17.6
HIGHEST MEAN YEAR	1986			1995	1978	1992	1992	1977	1975	1971	1990	1988	1995	1977	1971		
LOWEST MEAN YEAR	1993			1993	1977	1975	1977	1984	1983	1976	1985	1984	1994	1990	1993		
MIN OBS TIME ADJUSTMENT	-0.8			-0.7	-0.7	-0.7	-0.6	-0.6	-0.5	-0.7	-0.8	-0.9	-1.1	-0.9			
MAX OBS TIME ADJUSTMENT	-1.2			-1.2	-1.6	-1.9	-1.7	-1.4	-1.1	-1.6	-1.4	-1.5	-1.5	-1.3			
005	BEATTY 8 N			HIGHEST MEAN	46.7	51.7	55.5	62.9	70.2	78.2	83.7	80.8	74.7	66.8	55.8	47.4	83.7
				MEDIAN	40.8	44.6	49.0	55.7	64.6	72.5	78.3	77.5	71.7	59.8	47.8	41.3	58.7
				LOWEST MEAN	34.5	40.8	43.7	46.6	56.8	67.3	73.8	72.5	64.7	55.0	41.1	34.3	34.3
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1997	1981	1996	1996	1991	1988	1995	1980	1996		
		LOWEST MEAN YEAR	1979	1979	1977	1975	1977	1998	1987	1976	1986	1984	1994	1984	1984		
		MIN OBS TIME ADJUSTMENT	0.4	0.5	-0.1	-0.4	-0.3	-0.3	-0.3	-0.4	-0.6	-0.4	-0.4	0.3			
		MAX OBS TIME ADJUSTMENT	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.1			
		006	BEOWAWE	HIGHEST MEAN	38.4	41.1	47.5	52.6	63.6	71.3	75.5	77.0	65.6	54.9	43.6	37.6	77.0
				MEDIAN	28.1	35.0	40.6	46.5	55.4	63.9	72.2	70.2	61.7	48.6	38.3	28.8	49.5
				LOWEST MEAN	15.0	22.0	34.7	39.0	45.9	56.1	64.0	63.8	53.3	43.3	28.4	13.3	13.3
HIGHEST MEAN YEAR	1986			1986	1978	1987	1992	1974	1971	1971	1981	1979	1999	1977	1971		
LOWEST MEAN YEAR	1989			1989	1991	1975	1991	1991	1993	1990	1988	1989	1993	1990	1990		
MIN OBS TIME ADJUSTMENT	-0.8			-0.8	-0.7	-0.7	-0.5	-0.5	-0.4	-0.6	-0.7	-0.8	-1.0	-0.9			
MAX OBS TIME ADJUSTMENT	-1.1			-1.3	-1.6	-1.9	-1.3	-1.3	-0.9	-1.4	-1.3	-1.4	-1.4	-1.3			
007	BEOWAWE U OF			HIGHEST MEAN	37.4	41.1	44.0	49.7	58.3	65.0	71.3	68.8	60.8	52.7	41.4	35.6	71.3
				MEDIAN	28.2	32.8	37.9	42.8	50.9	59.9	67.8	65.9	58.2	46.4	35.9	28.5	46.1
				LOWEST MEAN	17.9	23.4	32.4	37.0	45.4	56.2	62.2	60.5	51.9	40.7	27.6	17.6	17.6
		HIGHEST MEAN YEAR	1986	1995	1972	1992	1992	1974	1996	1998	1990	1988	1999	1981	1996		
		LOWEST MEAN YEAR	1989	1985	1977	1975	1977	1995	1993	1976	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	0.9	1.1	0.8	0.0	0.0	-0.3	0.0	-0.2	-0.4	0.3	0.6	0.7			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.2	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	-0.1	0.1			
		008	BLUE EAGLE RA	HIGHEST MEAN	35.9	42.3	47.9	56.0	63.9	73.0	78.1	76.0	68.2	58.0	44.4	34.5	78.1
				MEDIAN	27.5	34.5	42.5	48.6	58.4	67.4	74.8	73.2	64.2	51.5	38.2	29.0	50.6
				LOWEST MEAN	17.7	23.3	36.1	40.5	52.9	63.1	72.3	68.3	59.5	45.9	29.1	22.8	17.7
HIGHEST MEAN YEAR	1986			1995	1986	1989	1992	1986	1996	1998	1979	1988	1999	1977	1996		
LOWEST MEAN YEAR	1979			1985	1973	1975	1977	1998	1986	1976	1985	1984	1985	1984	1979		
MIN OBS TIME ADJUSTMENT	0.5			0.7	0.0	-0.4	-0.4	-0.4	-0.3	-0.5	-0.7	-0.4	-0.5	0.2			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.2	0.1	-0.1	-0.2	-0.2	-0.1	0.1			
009	BOULDER CITY			HIGHEST MEAN	51.7	56.8	65.4	71.4	81.4	89.1	92.8	91.5	84.5	74.6	61.6	53.3	92.8
				MEDIAN	44.5	50.0	56.0	62.2	72.3	82.4	88.3	85.7	79.8	67.6	53.7	46.1	65.6
				LOWEST MEAN	38.3	45.7	48.1	54.5	64.7	77.4	84.0	80.8	72.8	62.0	47.6	39.9	38.3
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1997	2000	2000	1996	1995	1988	1995	1980	2000		
		LOWEST MEAN YEAR	1979	1979	1973	1975	1977	1980	1974	1983	1986	1971	1994	1990	1979		
		MIN OBS TIME ADJUSTMENT	0.8	0.6	0.8	0.0	0.1	-0.2	-0.1	-0.2	-0.3	0.2	0.1	0.7			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	-0.1	0.1			
		010	BUNKERVILLE	HIGHEST MEAN	51.8	54.5	62.6	70.0	78.6	85.4	92.1	89.4	82.5	72.2	57.2	49.5	92.1
				MEDIAN	44.4	49.7	55.2	63.0	72.4	80.4	87.7	86.7	78.6	64.9	52.1	44.0	64.7
				LOWEST MEAN	37.9	44.5	50.8	56.8	67.1	76.5	83.4	83.4	71.1	59.1	45.9	36.4	36.4
HIGHEST MEAN YEAR	1986			1995	1972	1989	2000	1994	1981	1986	1984	1988	1995	1980	1981		
LOWEST MEAN YEAR	1979			1979	1973	1975	1977	1998	1986	1976	1986	1984	1994	1990	1990		
MIN OBS TIME ADJUSTMENT	-0.7			-0.7	-0.6	-0.6	-0.5	-0.4	-0.3	-0.4	-0.5	-0.6	-0.7	-0.8			
MAX OBS TIME ADJUSTMENT	-0.7			-0.5	-1.1	-1.3	-0.8	-0.7	-0.5	-0.8	-0.8	-0.8	-0.8	-0.6	-0.9		



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEVADA

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
011	CALIENTE	HIGHEST MEAN	39.6	46.3	49.7	59.1	65.4	74.7	79.9	78.6	69.4	61.2	47.5	40.2	79.9
		MEDIAN	32.2	38.5	43.9	50.0	60.0	69.5	75.4	74.2	65.6	53.5	41.4	33.6	53.0
		LOWEST MEAN	24.9	31.1	39.0	42.8	54.6	64.5	72.6	68.6	60.2	47.5	34.1	24.2	24.2
		HIGHEST MEAN YEAR	1986	1995	1986	1989	1997	1994	1989	1994	1995	1988	1999	2000	1989
		LOWEST MEAN YEAR	1979	1979	1991	1975	1977	1998	1978	1976	1978	1982	1994	1990	1990
		MIN OBS TIME ADJUSTMENT	0.9	0.6	0.8	0.0	-0.3	-0.3	-0.3	-0.2	-0.3	0.2	0.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	-0.1	-0.1	-0.1	-0.1	0.1	
013	CARLIN NEWMON	HIGHEST MEAN	34.1	40.6	43.3	51.2	58.5	68.3	76.9	75.6	68.2	60.6	43.6	35.8	76.9
		MEDIAN	27.4	30.0	35.1	41.0	51.9	62.7	72.3	70.6	62.0	49.0	35.0	28.4	47.5
		LOWEST MEAN	19.2	22.5	29.6	33.2	43.5	55.8	63.7	61.6	54.9	41.0	27.1	19.5	19.2
		HIGHEST MEAN YEAR	1981	1995	1986	1987	1992	1986	1988	1981	1990	1988	1999	1980	1988
		LOWEST MEAN YEAR	1979	1993	1977	1975	1977	1995	1993	1976	1986	1984	1994	1990	1979
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.7	-0.8	-0.6	-0.6	-0.5	-0.8	-0.9	-1.0	-1.1	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.7	-0.6	-0.8	-1.3	-1.3	-1.1	-1.0	-1.1	-1.7	-1.3	-1.0	-0.8	
014	CARSON CITY	HIGHEST MEAN	39.7	43.9	48.6	53.8	62.3	69.9	73.3	71.4	65.1	55.6	47.6	41.8	73.3
		MEDIAN	34.3	38.8	42.8	47.8	55.8	64.0	70.0	68.8	61.5	50.3	40.6	33.6	50.6
		LOWEST MEAN	24.7	29.4	37.4	40.9	49.2	59.5	65.8	62.8	54.8	46.8	33.2	24.8	24.7
		HIGHEST MEAN YEAR	1986	1995	1978	1992	1992	1977	1996	1977	1991	1988	1995	1981	1996
		LOWEST MEAN YEAR	1993	1989	1985	1975	1998	1998	1987	1976	1986	1984	1994	1990	1993
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.6	-0.6	-0.5	-0.5	-0.4	-0.5	-0.6	-0.7	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.8	-0.8	-1.1	-1.2	-1.1	-1.2	-0.9	-0.9	-1.2	-0.9	-0.9	-0.8	
015	CLOVER VALLEY	HIGHEST MEAN	33.2	38.8	43.2	50.8	57.3	64.9	71.9	70.9	63.7	54.2	42.9	34.9	71.9
		MEDIAN	27.5	31.3	37.3	42.8	51.7	60.3	68.1	66.9	58.6	47.6	36.5	27.6	46.4
		LOWEST MEAN	15.5	20.1	31.2	36.8	46.3	55.4	60.1	61.8	51.8	40.3	25.4	16.9	15.5
		HIGHEST MEAN YEAR	1998	1995	1972	1992	1992	1974	1985	1981	1990	1988	1995	1981	1985
		LOWEST MEAN YEAR	1989	1993	1977	1975	1977	1995	1993	1976	1986	1984	1994	1990	1989
		MIN OBS TIME ADJUSTMENT	-0.8	-0.8	-0.7	-0.7	-0.6	-0.5	-0.4	-0.6	-0.7	-0.8	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.7	-1.0	-1.2	-1.5	-0.9	-0.9	-0.7	-1.1	-0.9	-1.1	-0.6	-0.8	
016	CONTACT	HIGHEST MEAN	33.4	38.6	43.0	48.4	58.2	68.8	72.0	70.5	62.5	53.4	42.9	35.0	72.0
		MEDIAN	26.7	31.3	36.9	42.8	51.2	60.1	69.0	67.0	57.5	45.7	35.4	27.3	46.2
		LOWEST MEAN	17.5	21.3	30.8	36.7	46.3	54.9	61.0	61.5	51.7	41.2	26.9	16.0	16.0
		HIGHEST MEAN YEAR	1983	1995	1986	1992	1992	1988	1988	1994	1990	1988	1981	1980	1988
		LOWEST MEAN YEAR	1979	1993	1977	1975	1977	1995	1993	1976	1971	1982	1994	1990	1990
		MIN OBS TIME ADJUSTMENT	1.0	1.1	0.8	-0.1	-0.5	-0.4	-0.4	-0.3	-0.4	0.3	0.3	0.7	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
017	DEETH	HIGHEST MEAN	30.2	37.3	42.4	48.0	56.3	64.2	68.9	67.7	59.2	48.5	38.5	32.1	68.9
		MEDIAN	22.6	28.3	36.0	43.6	51.0	59.3	65.7	63.6	54.8	43.2	32.8	23.9	43.8
		LOWEST MEAN	9.5	16.8	29.8	36.3	46.0	54.6	58.0	59.6	49.2	40.1	24.3	11.2	9.5
		HIGHEST MEAN YEAR	1998	1995	1986	1992	1992	1988	1975	1971	1990	1988	1995	1977	1975
		LOWEST MEAN YEAR	1989	1984	1984	1975	1977	1993	1993	1976	1986	1984	1994	1990	1989
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.7	-0.8	-0.6	-0.6	-0.5	-0.7	-0.8	-1.1	-1.1	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.6	-1.5	-1.8	-2.4	-1.8	-1.7	-1.4	-1.8	-1.9	-1.9	-1.6	-1.5	
018	DENIO	HIGHEST MEAN	37.5	43.2	46.4	54.0	61.7	68.6	75.1	74.7	67.1	56.2	46.3	38.1	75.1
		MEDIAN	32.4	36.1	40.8	46.2	54.0	63.6	71.8	70.6	61.4	50.1	39.5	31.4	49.9
		LOWEST MEAN	22.4	24.7	35.7	39.1	49.5	58.0	62.7	64.5	53.5	46.4	31.4	21.8	21.8
		HIGHEST MEAN YEAR	1998	1995	1972	1987	1992	1977	1985	1971	1979	1988	1995	1981	1985
		LOWEST MEAN YEAR	1993	1989	1976	1975	1991	1993	1993	1976	1985	1984	1985	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.6	-0.7	-0.5	-0.5	-0.4	-0.6	-0.7	-0.7	-0.8	-0.7	
		MAX OBS TIME ADJUSTMENT	-0.4	-0.5	-0.4	-0.5	-0.8	-0.5	-0.7	-0.7	-0.8	-0.5	-0.6	-0.5	
019	DESERT NATL W	HIGHEST MEAN	46.6	53.8	59.6	67.8	74.5	83.0	87.7	87.4	78.7	69.8	56.0	48.5	87.7
		MEDIAN	42.5	47.4	51.9	59.2	68.7	78.3	84.0	82.2	75.2	63.0	50.5	42.9	62.1
		LOWEST MEAN	36.8	42.7	47.6	52.4	62.4	72.2	80.5	78.5	70.1	57.5	43.9	37.0	36.8
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1984	1994	1996	1994	1979	1988	1995	1980	1996
		LOWEST MEAN YEAR	1974	1994	1973	1975	1977	1998	1987	1976	1986	1984	1994	1990	1974
		MIN OBS TIME ADJUSTMENT	0.8	0.6	0.8	0.0	0.1	-0.2	0.0	-0.2	-0.4	0.2	0.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	-0.1	0.1	
020	DESERT ROCK A	HIGHEST MEAN	51.1	56.0	60.2	68.4	74.8	83.9	88.3	87.3	78.1	70.4	56.8	50.3	88.3
		MEDIAN	44.2	48.4	52.8	59.2	68.7	77.9	84.5	82.2	75.0	63.1	51.0	44.6	62.5
		LOWEST MEAN	38.5	43.4	47.8	52.6	62.0	73.7	79.6	78.3	69.2	57.0	44.7	37.3	37.3
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1984	1994	1994	1994	1979	1988	1995	1980	1994
		LOWEST MEAN YEAR	1979	1979	1991	1975	1977	1995	1987	1976	1986	1984	1994	1990	1990
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
021	DIAMOND VALLE	HIGHEST MEAN	31.0	37.8	42.3	48.5	56.2	64.0	69.6	68.0	60.8	53.3	40.0	33.6	69.6
		MEDIAN	23.9	29.6	36.5	42.4	50.4	59.7	66.1	65.5	56.4	45.7	34.5	25.4	44.6
		LOWEST MEAN	13.3	19.3	31.3	35.6	44.8	53.7	62.1	59.5	51.2	40.8	24.7	17.9	13.3
		HIGHEST MEAN YEAR	2000	1995	1989	1992	1992	1985	1996	1981	1990	1988	1995	1981	1996
		LOWEST MEAN YEAR	1989	1985	1977	1975	1977	1995	1993	1976	1985	1984	1994	1990	1989
		MIN OBS TIME ADJUSTMENT	-0.8	-0.8	-0.7	-0.7	-0.6	-0.5	-0.4	-0.6	-0.7	-0.8	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.8	-0.9	-1.2	-1.5	-0.9	-0.8	-0.7	-1.0	-0.9	-1.0	-0.6	-0.8	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
033	GERLACH	HIGHEST MEAN	38.6	43.1	48.7	55.3	64.9	71.1	77.9	76.4	67.3	57.2	44.2	36.4	77.9		
		MEDIAN	31.3	37.0	42.9	49.0	57.8	66.4	74.2	72.9	63.6	51.8	39.5	30.4	51.6		
		LOWEST MEAN	21.9	24.9	38.6	42.5	51.3	61.3	68.2	67.2	56.7	46.5	28.5	21.3	21.3		
		HIGHEST MEAN YEAR	1986	1995	1986	1990	1992	1977	1994	1971	1974	1988	1995	1995	1994		
		LOWEST MEAN YEAR	1993	1989	1985	1975	1998	1993	1993	1976	1986	1984	1985	1990	1990		
		MIN OBS TIME ADJUSTMENT	0.9	1.1	0.8	0.0	0.0	-0.3	-0.1	-0.2	0.3	0.2	0.6	0.8			
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	-0.1	0.1			
		034	GIBBS RANCH	HIGHEST MEAN	32.0	34.9	40.4	46.7	54.9	62.0	69.5	67.0	61.6	50.8	38.4	32.2	69.5
				MEDIAN	22.3	26.5	33.8	40.7	48.6	57.3	65.1	64.0	56.0	44.1	31.5	23.9	42.9
LOWEST MEAN	12.5			19.6	26.8	33.5	43.8	52.8	57.1	58.9	49.9	39.2	22.3	13.0	12.5		
HIGHEST MEAN YEAR	1981			1991	1986	1992	1992	1986	1998	1986	1990	1988	1995	1980	1998		
LOWEST MEAN YEAR	1989			1993	1985	1975	1977	1995	1993	1976	1986	1984	1994	1990	1989		
MIN OBS TIME ADJUSTMENT	-0.4			-0.1	-0.5	-0.8	-0.6	-0.6	-0.5	-0.7	-0.9	-1.0	-0.5	-0.4			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.2	0.1	0.0	0.0	-0.1	-0.1	-0.4	-0.2	-0.1	0.0			
035	GLENBROOK			HIGHEST MEAN	38.5	39.1	42.6	47.2	54.3	61.8	67.4	68.2	62.7	56.0	46.1	39.3	68.2
				MEDIAN	33.1	34.4	37.3	41.7	48.9	56.2	63.8	63.9	58.2	48.9	39.1	33.9	46.4
		LOWEST MEAN	28.2	30.3	31.1	34.4	40.3	52.7	58.7	57.0	52.1	44.4	31.8	27.3	27.3		
		HIGHEST MEAN YEAR	1986	1991	1972	1987	1992	1981	1972	1981	1974	1988	1995	1981	1981		
		LOWEST MEAN YEAR	1993	1998	1977	1975	1977	1998	1989	1976	1986	1984	1994	1972	1972		
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.6	-0.6	-0.5	-0.5	-0.4	-0.5	-0.6	-0.7	-0.9	-0.8			
		MAX OBS TIME ADJUSTMENT	-1.2	-1.1	-1.4	-1.6	-1.4	-1.5	-1.2	-1.3	-1.5	-1.3	-1.3	-1.2			
		036	GOLCONDA	HIGHEST MEAN	38.3	42.1	45.5	52.4	62.4	69.1	76.5	73.9	65.7	55.8	44.1	37.6	76.5
				MEDIAN	29.8	35.3	40.2	45.6	53.9	64.4	71.1	70.2	60.9	49.1	38.1	30.1	48.9
LOWEST MEAN	20.2			26.4	33.6	38.7	47.8	57.3	65.6	62.9	53.7	42.5	30.5	19.0	19.0		
HIGHEST MEAN YEAR	1986			1995	1986	1992	1992	1986	1996	1994	1990	1988	1995	1977	1996		
LOWEST MEAN YEAR	1993			1989	1977	1975	1977	1980	1993	1976	1986	1984	1985	1990	1990		
MIN OBS TIME ADJUSTMENT	0.9			1.0	0.7	0.0	0.0	-0.4	-0.1	-0.3	-0.4	0.2	0.7	0.7			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
037	GOLDFIELD			HIGHEST MEAN	39.9	44.1	48.2	56.0	63.0	71.4	78.0	75.6	67.9	59.1	48.0	38.7	78.0
				MEDIAN	31.8	36.3	41.7	48.0	56.9	66.3	73.9	72.1	64.5	51.8	40.1	32.6	51.2
		LOWEST MEAN	25.4	31.7	34.4	38.4	48.8	60.6	69.8	66.3	57.7	46.9	31.4	24.2	24.2		
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1997	1985	1996	1994	1979	1988	1995	1977	1996		
		LOWEST MEAN YEAR	1987	1989	1973	1975	1998	1995	1987	1976	1986	1984	1994	1971	1971		
		MIN OBS TIME ADJUSTMENT	0.4	0.5	0.0	-0.4	-0.3	-0.3	-0.3	-0.4	-0.3	-0.4	-0.5	0.3			
		MAX OBS TIME ADJUSTMENT	0.2	0.2	0.2	0.3	0.3	0.2	0.1	-0.1	-0.1	-0.1	-0.1	0.1			
		038	GREAT BASIN N	HIGHEST MEAN	35.7	39.6	42.2	50.6	58.5	67.6	74.2	71.8	64.0	55.3	45.7	36.0	74.2
				MEDIAN	28.6	31.5	36.3	42.8	53.3	62.7	71.7	69.1	60.0	48.1	36.5	29.1	47.5
LOWEST MEAN	21.2			25.4	31.2	35.3	47.4	56.1	67.5	65.8	55.3	42.6	28.9	21.3	21.2		
HIGHEST MEAN YEAR	1986			1995	1997	1992	1992	1994	1989	1994	1990	1988	1999	1980	1989		
LOWEST MEAN YEAR	1979			1989	1973	1975	1995	1995	1993	1976	1986	1984	2000	1990	1979		
MIN OBS TIME ADJUSTMENT	1.0			0.6	0.9	0.0	-0.4	-0.3	-0.3	-0.2	-0.4	0.3	0.2	0.8			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
039	HAWTHORNE AP			HIGHEST MEAN	45.5	49.6	53.8	60.5	70.1	76.1	82.6	80.4	72.2	63.2	51.1	43.3	82.6
				MEDIAN	35.8	41.9	48.0	54.0	62.5	70.6	77.6	76.6	68.5	55.8	44.8	36.2	56.1
		LOWEST MEAN	29.9	35.7	41.8	45.4	54.9	66.3	73.8	68.4	60.7	47.7	38.0	29.0	29.0		
		HIGHEST MEAN YEAR	1986	1995	1986	1987	1992	1981	1988	1981	1981	1988	1995	1981	1988		
		LOWEST MEAN YEAR	1973	1989	1973	1975	1977	1995	1983	1976	1986	1971	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.6	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.8	-0.8			
		MAX OBS TIME ADJUSTMENT	-0.7	-0.8	-1.0	-1.2	-1.1	-0.7	-0.9	-0.8	-1.2	-0.9	-0.8	-0.8			
		041	IMLAY	HIGHEST MEAN	38.3	43.4	48.7	54.3	65.7	71.3	78.7	76.2	67.1	56.1	44.4	38.6	78.7
				MEDIAN	30.9	37.2	41.9	47.2	55.3	65.3	73.6	71.8	62.3	50.0	38.5	29.7	50.2
LOWEST MEAN	21.1			27.9	37.5	40.1	49.1	60.6	67.4	65.5	55.4	43.0	31.7	19.0	19.0		
HIGHEST MEAN YEAR	1986			1995	1978	1992	1992	1977	1994	1971	1981	1988	1995	1977	1994		
LOWEST MEAN YEAR	1993			1989	1977	1975	1977	1995	1993	1976	1985	1984	1985	1990	1990		
MIN OBS TIME ADJUSTMENT	-0.3			-0.1	-0.4	-0.6	-0.5	-0.5	-0.4	-0.6	-0.7	-0.7	-0.5	-0.5			
MAX OBS TIME ADJUSTMENT	0.2			0.2	0.2	0.1	0.2	0.1	0.1	-0.1	-0.2	-0.2	-0.1	0.0			
042	JACKPOT			HIGHEST MEAN	32.7	38.1	43.1	50.3	57.0	66.0	72.5	70.7	63.1	53.8	40.8	34.2	72.5
				MEDIAN	27.2	31.9	37.0	42.8	50.7	60.2	67.9	67.1	57.8	46.8	35.4	27.8	46.3
		LOWEST MEAN	18.2	21.4	32.0	36.3	47.0	55.8	59.1	62.4	52.9	42.3	27.1	16.8	16.8		
		HIGHEST MEAN YEAR	1981	1991	1986	1987	1992	1977	1998	2000	1990	1988	1995	1977	1998		
		LOWEST MEAN YEAR	1979	1993	1976	1975	1975	1998	1993	1976	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	0.4	0.6	-0.1	-0.6	-0.6	-0.5	-0.5	-0.6	-0.8	-0.5	-0.5	0.2			
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.1			
		043	JIGGS 8 SSE Z	HIGHEST MEAN	31.2	38.7	41.6	49.6	57.7	62.5	70.9	70.4	60.7	53.4	42.3	32.5	70.9
				MEDIAN	25.1	28.9	35.6	40.5	49.1	57.6	65.5	64.3	56.0	45.0	33.6	26.5	44.2
LOWEST MEAN	16.1			21.1	29.4	33.9	44.3	52.1	59.9	59.7	47.6	38.6	26.6	18.0	16.1		
HIGHEST MEAN YEAR	2000			1995	1986	1992	1992	1994	1994	1994	1990	1988	1999	1977	1994		
LOWEST MEAN YEAR	1989			1984	1976	1975	1977	1984	1983	1980	1986	1984	1994	1984	1989		
MIN OBS TIME ADJUSTMENT	0.9			1.1	0.9	0.0	-0.4	-0.4	-0.3	-0.2	-0.4	0.3	0.2	0.7			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.2	0.0	-0.1	-0.1	0.0	0.1			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

No.	Station Name	Element	NORMALS STATISTICS													
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	
054	LUND	HIGHEST MEAN	37.3	41.0	45.0	51.7	58.5	66.8	72.4	70.2	63.3	55.2	43.7	37.8	72.4	
		MEDIAN	28.2	33.5	39.4	45.6	54.1	62.1	69.4	67.6	60.4	49.2	37.1	30.1	47.9	
		LOWEST MEAN	21.4	27.2	32.0	37.5	47.3	56.6	65.2	62.9	54.8	44.2	29.3	22.8	21.4	
	HIGHEST MEAN YEAR	1986	1995	1972	1989	1984	1985	1996	1986	1983	1988	1999	1980	1996		
	LOWEST MEAN YEAR	1979	1994	1977	1975	1977	1998	1993	1976	1986	1971	1994	1990	1979		
	MIN OBS TIME ADJUSTMENT	0.5	0.6	-0.1	-0.5	-0.5	-0.4	-0.4	-0.5	-0.6	-0.4	-0.5	0.3			
	MAX OBS TIME ADJUSTMENT	0.2	0.3	0.2	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.1			
	055	MCDERMITT	HIGHEST MEAN	37.6	40.5	44.0	49.2	59.2	66.6	75.2	70.6	62.1	52.5	41.9	33.8	75.2
			MEDIAN	28.3	33.4	38.5	43.1	51.6	61.2	68.4	66.9	56.8	45.9	35.5	27.3	46.4
			LOWEST MEAN	17.6	23.8	33.1	36.7	46.5	54.8	60.1	62.4	51.0	39.8	27.7	14.5	14.5
HIGHEST MEAN YEAR		1986	1995	1986	1990	1992	1977	1985	1971	1990	1988	1995	1981	1985		
LOWEST MEAN YEAR		1993	1985	1985	1975	1977	1984	1993	1976	1986	1984	1994	1990	1990		
MIN OBS TIME ADJUSTMENT		0.4	0.6	-0.1	-0.5	-0.5	-0.5	-0.5	-0.6	-0.8	-0.5	0.3	0.2			
MAX OBS TIME ADJUSTMENT		0.2	0.3	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.1			
056		MCGILL	HIGHEST MEAN	35.2	39.7	42.4	50.7	57.4	66.3	72.4	71.7	63.4	54.7	43.5	35.2	72.4
			MEDIAN	27.5	30.3	36.5	42.2	52.5	61.4	69.9	67.9	59.1	47.6	35.5	28.1	46.6
			LOWEST MEAN	18.6	22.6	30.0	31.9	45.0	55.4	64.9	63.4	53.7	42.0	28.4	20.2	18.6
	HIGHEST MEAN YEAR	1986	1995	1986	1992	1992	1974	1994	1998	1979	1988	1999	1981	1994		
	LOWEST MEAN YEAR	1979	1993	1973	1975	1977	1995	1993	1976	1986	1984	1994	1990	1979		
	MIN OBS TIME ADJUSTMENT	0.8	1.0	1.3	1.6	1.0	0.9	0.6	0.8	0.7	0.6	0.6	0.7			
	MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	-0.1	-0.1	-0.1	-0.1	0.1			
	057	MIDDLEGATE LO	HIGHEST MEAN	37.0	42.8	46.5	51.2	59.5	66.6	73.3	72.8	62.9	54.4	43.6	36.6	73.3
			MEDIAN	30.4	36.4	40.9	45.2	53.8	62.4	69.9	68.5	59.9	49.0	38.3	30.7	48.8
			LOWEST MEAN	22.6	27.0	36.2	38.2	48.3	56.4	64.6	63.5	54.1	44.2	32.0	18.9	18.9
HIGHEST MEAN YEAR		1986	1995	1993	1990	1993	1985	1994	1971	1979	1988	1995	1981	1994		
LOWEST MEAN YEAR		1989	1989	1977	1975	1998	1995	1993	1976	1986	1984	1994	1990	1990		
MIN OBS TIME ADJUSTMENT		-0.2	-0.1	-0.4	-0.6	-0.5	-0.5	-0.4	-0.6	-0.6	-0.7	-0.5	-0.4			
MAX OBS TIME ADJUSTMENT		0.2	0.2	0.1	0.1	0.2	0.0	0.1	-0.1	-0.1	-0.2	-0.2	-0.1	0.0		
058		MINA	HIGHEST MEAN	41.5	46.2	50.7	58.9	67.8	75.8	82.6	80.7	70.8	61.7	49.2	40.0	82.6
			MEDIAN	34.4	39.7	45.9	51.3	61.6	70.8	78.5	76.5	67.7	54.8	42.8	34.6	54.9
			LOWEST MEAN	29.3	35.0	39.9	43.0	52.5	64.8	73.8	68.8	61.3	49.2	35.9	25.5	25.5
	HIGHEST MEAN YEAR	1986	1995	1989	1989	1997	1986	1994	1994	1981	1988	1995	1977	1994		
	LOWEST MEAN YEAR	1973	1976	1985	1975	1977	1995	1983	1976	1986	1984	1994	1990	1990		
	MIN OBS TIME ADJUSTMENT	-0.2	-0.1	-0.4	-0.5	-0.4	-0.4	-0.3	-0.5	-0.6	-0.7	-0.4	-0.4			
	MAX OBS TIME ADJUSTMENT	0.2	0.2	0.2	0.1	0.2	0.1	0.1	-0.1	-0.2	-0.2	-0.1	0.0			
	059	MINDEN	HIGHEST MEAN	39.0	43.0	47.4	53.2	60.9	67.1	73.1	70.6	63.6	56.1	46.0	39.5	73.1
			MEDIAN	32.6	36.9	41.4	46.8	54.1	62.4	68.7	67.6	61.1	50.1	40.3	32.5	49.5
			LOWEST MEAN	23.7	29.2	36.3	38.5	47.8	58.8	64.6	61.3	53.8	45.4	31.4	22.9	22.9
HIGHEST MEAN YEAR		1986	1995	1993	1992	1992	1977	1988	1988	1991	1988	1995	1981	1988		
LOWEST MEAN YEAR		1993	1990	1977	1975	1977	1993	1987	1976	1986	1981	1994	1978	1978		
MIN OBS TIME ADJUSTMENT		0.4	0.5	-0.1	-0.4	-0.3	-0.4	-0.3	-0.5	-0.3	-0.4	0.2	0.2			
MAX OBS TIME ADJUSTMENT		0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1			
060		MONTELLLO 2 SE	HIGHEST MEAN	30.2	37.8	42.5	48.9	57.9	67.3	73.0	70.6	62.6	52.0	39.2	30.3	73.0
			MEDIAN	23.0	29.1	37.2	43.2	52.0	62.4	70.2	67.6	57.2	45.2	33.0	22.9	45.5
			LOWEST MEAN	13.8	17.7	30.1	36.3	48.0	56.6	61.3	62.6	50.3	38.8	25.5	14.1	13.8
	HIGHEST MEAN YEAR	1994	1995	1986	1992	1992	1977	1988	1982	1990	1988	1995	1975	1988		
	LOWEST MEAN YEAR	1993	1984	1977	1975	1977	1993	1993	1976	1971	1971	1993	1990	1993		
	MIN OBS TIME ADJUSTMENT	1.0	1.1	1.4	1.1	0.0	0.0	-0.1	0.6	0.4	0.8	0.8	0.6			
	MAX OBS TIME ADJUSTMENT	0.3	0.3	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	-0.1	0.0	0.1			
	061	MOUNTAIN CITY	HIGHEST MEAN	32.7	39.0	40.5	45.0	52.5	60.5	65.4	65.2	56.6	47.9	39.7	33.2	65.4
			MEDIAN	25.6	29.2	34.4	41.0	48.3	55.0	62.9	61.5	52.8	43.6	33.8	25.5	42.6
			LOWEST MEAN	16.7	20.6	27.8	34.4	43.9	50.5	58.5	56.8	46.8	39.0	24.7	16.2	16.2
HIGHEST MEAN YEAR		1981	1995	1978	1990	1993	1974	1985	1971	1994	1988	1999	1977	1985		
LOWEST MEAN YEAR		1985	1985	1985	1975	1977	1998	1993	1976	1986	1984	1993	1990	1990		
MIN OBS TIME ADJUSTMENT		-0.9	-0.8	-0.7	-0.8	-0.6	-0.6	-0.5	-0.7	-0.7	-1.0	-1.0	-0.7			
MAX OBS TIME ADJUSTMENT		-0.8	-0.9	-0.9	-1.2	-0.9	-1.0	-0.7	-1.2	-0.9	-0.9	-1.1	-0.7			
062		OASIS	HIGHEST MEAN	29.8	35.8	40.0	47.9	56.3	64.3	71.0	69.6	61.7	50.7	39.4	28.8	71.0
			MEDIAN	19.8	26.8	34.1	40.1	49.9	59.4	67.0	66.0	55.9	44.0	32.7	23.4	43.3
			LOWEST MEAN	11.8	16.5	26.4	32.9	44.8	54.5	60.8	60.7	51.0	39.1	24.3	13.1	11.8
	HIGHEST MEAN YEAR	2000	1995	1986	1992	1992	1986	1998	2000	1990	1988	1995	1977	1998		
	LOWEST MEAN YEAR	1979	1993	1976	1975	1977	1995	1993	1976	1971	1984	1994	1990	1979		
	MIN OBS TIME ADJUSTMENT	1.0	1.2	0.9	0.0	-0.5	-0.4	-0.4	-0.3	-0.4	0.3	0.2	0.7			
	MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.0	-0.1	-0.1	0.0	0.1			
	063	OROVADA 3 W	HIGHEST MEAN	38.6	41.4	47.4	53.2	61.8	70.7	76.2	75.0	65.4	59.7	43.5	38.6	76.2
			MEDIAN	30.9	36.6	41.2	46.2	55.0	63.5	72.2	69.7	60.8	50.6	38.6	30.4	49.2
			LOWEST MEAN	19.8	25.3	37.0	40.9	50.0	58.7	62.4	64.0	54.5	45.6	27.7	17.7	17.7
HIGHEST MEAN YEAR		1986	1995	1978	1987	1992	1977	1988	1971	1979	1988	1976	1981	1988		
LOWEST MEAN YEAR		1993	1993	1977	1975	1977	1995	1993	1993	1986	1971	1993	1990	1990		
MIN OBS TIME ADJUSTMENT		0.4	0.6	-0.1	-0.5	-0.4	-0.5	-0.4	-0.6	-0.4	-0.5	0.2	0.2			
MAX OBS TIME ADJUSTMENT		0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA


No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
064	PAHRANAGAT W	HIGHEST MEAN	45.6	51.3	55.4	63.5	70.6	80.6	84.5	83.2	74.8	65.9	53.0	46.0	84.5		
		MEDIAN	37.9	43.5	48.6	56.4	65.6	75.2	81.7	79.1	72.2	59.7	47.3	38.9	58.9		
		LOWEST MEAN	31.5	38.8	43.0	49.1	58.3	69.7	78.0	75.3	66.2	54.0	40.9	32.2	31.5		
		HIGHEST MEAN YEAR	1986	1995	1994	1989	1984	1981	1996	1977	1979	1988	1999	1980	1996		
		LOWEST MEAN YEAR	1974	1990	1973	1975	1998	1998	1987	1976	1986	1982	1994	1990	1974		
		MIN OBS TIME ADJUSTMENT	0.9	0.6	0.8	0.0	0.1	-0.3	0.0	-0.2	-0.3	0.2	0.1	0.8			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	-0.1	-0.1	-0.1	-0.1	0.1			
		065	PAHRUMP	HIGHEST MEAN	48.4	52.4	58.2	65.7	75.7	82.4	86.5	86.2	79.3	67.9	56.0	46.8	86.5
				MEDIAN	42.7	47.6	52.6	59.3	68.2	77.7	84.1	82.0	74.3	62.2	50.1	42.3	61.5
				LOWEST MEAN	37.0	42.8	46.2	49.8	61.3	72.4	79.5	78.0	69.2	57.7	42.6	35.2	35.2
HIGHEST MEAN YEAR	1986			1995	1972	1989	1997	2000	1996	1998	1974	1988	1999	1981	1996		
LOWEST MEAN YEAR	1979			1994	1991	1983	1977	1995	1987	1976	1986	1971	1994	1990	1990		
MIN OBS TIME ADJUSTMENT	0.4			0.6	0.0	-0.4	-0.3	-0.3	-0.3	-0.4	-0.6	-0.4	-0.4	0.3			
MAX OBS TIME ADJUSTMENT	0.2			0.2	0.2	0.3	0.3	0.2	0.1	0.0	-0.2	-0.2	-0.1	0.1			
066	PARADISE VALL			HIGHEST MEAN	35.8	42.4	44.5	52.6	61.5	67.0	74.3	71.5	63.8	56.8	44.5	35.9	74.3
				MEDIAN	29.3	34.0	39.1	44.6	52.8	61.8	68.8	67.8	59.6	48.7	37.6	29.4	48.0
				LOWEST MEAN	21.5	26.1	34.5	38.0	47.5	56.4	62.1	62.1	52.8	42.6	28.4	17.9	17.9
		HIGHEST MEAN YEAR	1986	1995	1986	1992	1992	1977	1994	1971	1990	1988	1995	1981	1994		
		LOWEST MEAN YEAR	1993	1989	1977	1975	1977	1984	1993	1976	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.6	-0.7	-0.5	-0.5	-0.4	-0.6	-0.6	-0.7	-0.8	-0.7			
		MAX OBS TIME ADJUSTMENT	-0.4	-0.5	-0.4	-0.5	-0.8	-0.5	-0.4	-0.7	-0.5	-0.5	-0.6	-0.5			
		067	PARIS RANCH	HIGHEST MEAN	38.6	44.6	48.3	56.4	65.5	71.6	78.8	77.3	69.5	60.5	46.4	39.0	78.8
				MEDIAN	32.1	37.6	43.3	48.6	58.3	68.1	75.3	74.1	65.5	52.8	40.1	32.3	52.3
				LOWEST MEAN	22.6	28.4	37.5	42.1	53.1	62.1	69.9	67.4	59.2	47.3	32.9	22.6	22.6
HIGHEST MEAN YEAR	1986			1995	1986	1990	1992	1986	1991	1971	1990	1988	1995	1981	1991		
LOWEST MEAN YEAR	1989			1989	1985	1975	1977	1995	1993	1976	1986	1984	1994	1990	1990		
MIN OBS TIME ADJUSTMENT	-0.5			-0.6	-0.5	-0.6	-0.5	-0.4	-0.4	-0.5	-0.6	-0.6	-0.7	-0.6			
MAX OBS TIME ADJUSTMENT	-0.3			-0.3	-0.3	-0.4	-0.4	-0.2	-0.3	-0.3	-0.5	-0.4	-0.4	-0.3			
068	PINE VALLEY B			HIGHEST MEAN	36.8	42.1	46.6	48.7	54.8	63.3	71.2	67.8	61.6	51.5	39.1	33.8	71.2
				MEDIAN	26.0	30.7	38.0	42.9	50.2	58.6	66.1	64.7	56.4	44.6	33.3	25.8	44.8
				LOWEST MEAN	17.2	20.5	32.7	36.2	45.1	54.7	59.5	60.4	50.7	40.5	26.7	16.0	16.0
		HIGHEST MEAN YEAR	1995	1995	1994	2000	1992	1977	1990	1994	1979	1988	1981	1977	1990		
		LOWEST MEAN YEAR	1989	1993	1985	1975	1995	1998	1993	1975	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.6	-0.7	-0.5	-0.5	-0.4	-0.6	-0.6	-0.7	-0.8	-0.7			
		MAX OBS TIME ADJUSTMENT	-0.4	-0.5	-0.7	-0.9	-0.5	-0.5	-0.4	-0.7	-0.6	-0.6	-0.6	-0.5			
		069	PIOCHE	HIGHEST MEAN	39.0	41.2	47.1	54.6	62.6	70.7	77.2	74.8	66.8	59.4	49.8	39.7	77.2
				MEDIAN	31.2	34.4	39.5	46.6	56.4	65.5	72.3	70.6	63.4	51.8	38.8	32.6	50.3
				LOWEST MEAN	23.2	30.1	32.4	37.5	48.9	58.9	69.4	66.8	57.6	45.2	27.4	24.7	23.2
HIGHEST MEAN YEAR	1986			1991	1972	1989	1984	1974	1989	1996	1979	1988	1999	1980	1989		
LOWEST MEAN YEAR	1979			1985	1973	1975	1977	1998	1992	1976	1986	1984	1994	1971	1979		
MIN OBS TIME ADJUSTMENT	0.8			1.1	1.4	1.0	0.1	0.1	0.0	0.3	0.3	0.7	0.6	0.8			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
070	RED ROCK CANY			HIGHEST MEAN	48.3	50.8	56.5	64.8	73.3	82.9	87.6	85.2	77.5	67.9	54.3	49.6	87.6
				MEDIAN	40.5	45.2	49.7	57.7	66.3	76.8	83.5	80.7	72.6	60.9	48.4	41.6	60.4
				LOWEST MEAN	35.7	39.8	43.8	50.4	59.5	69.5	78.8	76.0	68.2	54.7	40.9	35.9	35.7
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1984	1981	1981	1994	1979	1988	1995	1980	1981		
		LOWEST MEAN YEAR	1979	1994	1973	1975	1977	1995	1997	1983	1985	1984	1994	1990	1979		
		MIN OBS TIME ADJUSTMENT	0.4	0.0	0.0	-0.4	-0.3	-0.3	-0.3	-0.4	-0.6	-0.4	-0.4	0.3			
		MAX OBS TIME ADJUSTMENT	0.2	0.2	0.2	0.3	0.3	0.2	0.1	-0.1	-0.2	-0.2	-0.1	0.1			
		071	REESE RIVER O	HIGHEST MEAN	37.8	38.4	41.0	47.3	53.5	62.6	65.9	67.0	57.8	49.2	39.3	34.5	67.0
				MEDIAN	26.4	30.2	35.4	39.2	48.0	55.3	62.1	61.4	52.9	43.1	33.9	27.0	42.6
				LOWEST MEAN	17.3	23.8	28.5	30.0	40.0	51.3	57.8	55.8	49.2	39.1	24.5	18.2	17.3
HIGHEST MEAN YEAR	1986			1995	1978	1981	1992	1981	1985	1986	1979	1988	1995	1981	1986		
LOWEST MEAN YEAR	1979			1993	1980	1975	1977	1995	1993	1976	1985	1971	1994	1990	1979		
MIN OBS TIME ADJUSTMENT	0.8			1.0	0.7	0.0	0.0	-0.3	0.0	-0.2	0.3	0.2	0.5	0.7			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.2	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
072	RENO CANNON I			HIGHEST MEAN	40.3	46.0	48.7	55.8	64.9	70.9	77.2	74.9	65.8	58.4	46.7	39.5	77.2
				MEDIAN	33.2	38.6	43.3	47.4	56.8	64.0	70.8	70.0	63.4	51.8	41.6	34.0	51.4
				LOWEST MEAN	25.7	30.8	38.3	40.2	48.7	59.8	67.1	62.5	56.3	46.5	35.1	25.4	25.4
		HIGHEST MEAN YEAR	1986	1995	1994	1992	1992	2000	1994	1998	1999	1988	1999	1981	1994		
		LOWEST MEAN YEAR	1993	1990	1973	1975	1977	1971	1974	1976	1986	1971	1994	1978	1978		
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		073	RUBY LAKE	HIGHEST MEAN	33.3	38.6	42.7	49.8	57.9	66.7	72.0	70.9	62.6	53.4	42.1	34.4	72.0
				MEDIAN	26.5	30.1	36.5	42.4	52.6	61.2	69.7	67.1	58.5	46.7	35.8	27.5	46.4
				LOWEST MEAN	16.5	20.2	31.6	34.7	44.2	55.8	64.3	63.0	52.5	42.0	26.3	17.7	16.5
HIGHEST MEAN YEAR	1998			1995	1986	1992	1992	1985	1985	1986	1990	1988	1995	1977	1985		
LOWEST MEAN YEAR	1989			1993	1977	1975	1977	1995	1982	1976	1982	1984	1994	1990	1989		
MIN OBS TIME ADJUSTMENT	0.9			1.2	0.9	0.0	-0.4	-0.4	-0.4	-0.3	-0.4	0.3	0.2	0.7			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEVADA

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
074	RUTH	HIGHEST MEAN	30.0	34.4	39.8	46.2	53.1	61.4	68.0	66.9	57.4	49.4	36.7	29.9	68.0
		MEDIAN	23.2	26.7	33.6	40.0	48.5	56.9	65.6	63.2	54.7	43.0	32.1	23.2	42.5
		LOWEST MEAN	15.6	21.2	27.7	31.4	43.6	52.9	60.0	58.4	49.1	37.5	22.5	16.2	15.6
		HIGHEST MEAN YEAR	1986	1995	1972	1992	1992	1974	1996	1971	1990	1988	1995	1980	1996
		LOWEST MEAN YEAR	1979	1990	1977	1975	1977	1995	1993	1976	1986	1984	2000	1990	1979
		MIN OBS TIME ADJUSTMENT	0.9	1.2	0.9	0.0	-0.4	-0.3	-0.3	-0.2	-0.4	0.3	0.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	-0.1	-0.1	-0.1	0.0	0.1	
075	RYE PATCH DAM	HIGHEST MEAN	38.4	44.5	48.4	55.4	66.1	71.7	77.4	76.5	66.0	56.6	45.0	38.8	77.4
		MEDIAN	31.8	37.4	42.5	48.2	57.0	65.5	73.4	71.6	63.2	51.0	39.7	31.0	50.8
		LOWEST MEAN	21.8	28.1	38.7	41.4	49.9	60.9	67.2	66.1	57.0	46.6	33.1	20.0	20.0
		HIGHEST MEAN YEAR	1986	1995	1978	1992	1992	1977	1994	1971	1975	1988	1995	1977	1994
		LOWEST MEAN YEAR	1993	1989	1985	1975	1998	1998	1983	1976	1986	1998	2000	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.6	-0.6	-0.5	-0.5	-0.4	-0.6	-0.7	-0.8	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.2	-1.5	-1.8	-1.6	-1.2	-1.2	-1.3	-1.6	-1.4	-1.4	-1.3	
076	SEARCHLIGHT	HIGHEST MEAN	49.8	54.3	61.1	67.6	76.2	83.3	87.8	86.4	78.7	71.3	59.8	51.7	87.8
		MEDIAN	43.8	47.8	52.2	58.8	68.5	78.4	83.9	82.2	76.2	64.0	51.9	44.3	62.4
		LOWEST MEAN	36.4	43.0	44.7	52.9	61.0	74.1	79.6	78.6	67.1	58.7	44.6	38.1	36.4
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1997	1981	1996	1995	1995	1988	1999	1980	1996
		LOWEST MEAN YEAR	1979	1998	1973	1975	1977	1991	1987	1976	1986	1984	1994	1971	1979
		MIN OBS TIME ADJUSTMENT	0.8	0.6	0.8	0.0	0.1	-0.2	0.0	-0.2	-0.3	0.2	0.2	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.1	
077	SHOSHONE 5 N	HIGHEST MEAN	35.5	40.3	44.7	52.2	57.8	66.0	72.5	70.7	62.2	54.5	42.6	35.4	72.5
		MEDIAN	28.3	32.0	37.8	44.1	53.5	61.7	68.6	66.6	58.9	47.8	36.9	28.9	47.2
		LOWEST MEAN	20.9	25.0	33.0	36.1	47.8	57.2	65.4	62.7	53.9	42.3	30.9	22.1	20.9
		HIGHEST MEAN YEAR	1986	1995	1989	1989	1984	1994	1989	1994	1990	1988	1995	1980	1989
		LOWEST MEAN YEAR	1979	1993	1973	1975	1977	1995	1993	1975	1986	1984	1994	1990	1979
		MIN OBS TIME ADJUSTMENT	-0.8	-0.8	-0.7	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.8	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.8	-0.6	-1.2	-1.4	-0.8	-0.8	-0.6	-0.9	-0.8	-1.0	-0.6	-0.9	
078	SILVERPEAK	HIGHEST MEAN	39.6	45.6	52.3	61.5	69.7	79.5	84.9	81.1	74.6	62.2	48.7	38.8	84.9
		MEDIAN	33.9	39.9	47.0	54.9	63.9	73.8	79.8	77.6	68.9	55.8	42.3	32.2	55.7
		LOWEST MEAN	24.7	32.2	41.1	48.6	57.3	67.9	75.3	73.5	62.9	51.3	34.6	23.4	23.4
		HIGHEST MEAN YEAR	1980	1995	1972	1992	1992	1974	1975	1971	1979	1979	1974	1973	1975
		LOWEST MEAN YEAR	1987	1976	1973	1999	1998	1995	1983	1990	1986	1998	1994	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.5	-0.6	-0.5	-0.4	-0.4	-0.5	-0.7	-0.8	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.4	-0.7	-1.1	-0.6	-0.9	-0.4	-0.6	-0.8	-1.1	-0.8	-0.8	
079	SMITH 6 N	HIGHEST MEAN	38.4	42.5	47.2	54.4	61.8	68.3	74.2	72.5	64.2	55.2	45.3	41.1	74.2
		MEDIAN	30.9	36.1	41.9	46.1	55.3	64.8	70.9	69.6	61.3	49.1	38.9	31.0	49.6
		LOWEST MEAN	24.2	29.1	34.6	38.2	48.1	59.5	66.8	62.0	55.7	44.3	31.4	21.3	21.3
		HIGHEST MEAN YEAR	1986	1995	1993	1992	1992	2000	1994	1994	1990	1988	1995	1981	1994
		LOWEST MEAN YEAR	1993	1989	1977	1975	1977	1980	1986	1976	1986	1971	1994	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.6	-0.5	-0.5	-0.5	-0.4	-0.5	-0.6	-0.6	-0.7	-0.7	
		MAX OBS TIME ADJUSTMENT	-0.4	-0.5	-0.6	-0.7	-0.7	-0.8	-0.6	-0.6	-0.8	-0.5	-0.5	-0.5	
080	SMOKE CREEK E	HIGHEST MEAN	38.4	42.3	47.8	56.1	66.4	70.9	78.4	76.3	67.4	58.5	44.0	36.6	78.4
		MEDIAN	31.1	36.8	42.8	47.8	57.4	66.3	73.9	71.8	63.9	51.3	39.3	30.3	51.0
		LOWEST MEAN	22.5	26.5	38.7	41.5	50.5	61.7	68.6	66.1	57.1	46.0	32.7	22.1	22.1
		HIGHEST MEAN YEAR	1986	1995	1986	1990	1992	1977	1994	1988	1979	1988	1995	1995	1994
		LOWEST MEAN YEAR	1993	1989	1985	1975	1977	1993	1983	1976	1986	1984	1994	1990	1990
		MIN OBS TIME ADJUSTMENT	0.9	1.1	0.8	0.0	0.0	-0.3	0.0	-0.2	0.3	0.2	0.6	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	-0.1	0.1	
081	SMOKEY VALLEY	HIGHEST MEAN	38.7	42.8	48.4	53.6	62.7	69.3	76.3	73.6	65.6	57.0	45.9	37.4	76.3
		MEDIAN	31.2	35.9	41.2	48.0	56.6	65.6	72.4	71.0	62.6	51.1	39.1	30.7	50.3
		LOWEST MEAN	21.1	29.4	35.0	39.5	50.1	60.5	68.5	65.0	55.5	45.1	30.0	21.9	21.1
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1992	1985	1996	1994	1990	1988	1995	1977	1996
		LOWEST MEAN YEAR	1988	1985	1985	1975	1977	1998	1983	1976	1986	1984	1994	1978	1988
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.6	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.2	-1.4	-1.8	-1.5	-1.1	-1.1	-1.1	-1.2	-1.3	-1.2	-1.2	
082	SNOWBALL RANC	HIGHEST MEAN	33.3	38.2	42.3	48.5	54.7	61.5	68.0	65.7	59.1	52.6	42.4	35.7	68.0
		MEDIAN	27.2	30.3	35.2	40.6	49.2	57.0	64.6	62.9	56.0	45.6	34.7	29.3	44.8
		LOWEST MEAN	19.0	23.9	30.0	32.6	42.6	52.6	61.5	57.6	49.7	38.9	25.8	21.3	19.0
		HIGHEST MEAN YEAR	1986	1995	1972	1992	1992	1994	1996	1998	1979	1988	1995	1980	1996
		LOWEST MEAN YEAR	1979	1985	1973	1975	1977	1998	1993	1976	1986	1984	1994	1971	1979
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.6	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.7	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.8	-0.9	-1.1	-1.4	-1.2	-0.7	-0.9	-0.9	-0.8	-0.9	-0.5	-0.8	
083	SPARKS	HIGHEST MEAN	40.8	44.6	49.7	55.8	63.4	69.6	74.5	74.4	66.2	57.5	48.5	40.5	74.5
		MEDIAN	33.8	39.1	43.9	49.5	57.3	64.6	70.9	70.3	63.0	52.6	42.0	34.6	51.9
		LOWEST MEAN	27.0	30.4	39.9	42.6	50.2	61.1	66.7	65.2	56.4	47.1	35.0	25.0	25.0
		HIGHEST MEAN YEAR	1986	1995	1972	1990	1992	1977	1988	1971	1979	1988	1995	1981	1988
		LOWEST MEAN YEAR	1993	1989	1985	1975	1977	1993	1983	1976	1986	1984	1994	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.7	-0.6	-0.5	-0.5	-0.4	-0.5	-0.6	-0.8	-1.0	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.2	-1.6	-1.7	-1.5	-1.4	-1.1	-1.2	-1.5	-1.4	-1.4	-1.5	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
084	SPRING VALLEY	HIGHEST MEAN	34.3	36.5	40.5	47.5	54.1	63.6	69.5	67.2	61.2	49.5	39.5	32.9	69.5		
		MEDIAN	25.2	30.3	36.3	41.9	49.6	57.5	64.6	63.0	55.5	44.5	33.8	26.8	43.7		
		LOWEST MEAN	15.3	22.1	28.2	34.9	45.5	53.7	60.5	60.0	50.6	39.5	24.6	14.9	14.9		
		HIGHEST MEAN YEAR	1986	1995	1972	1992	1992	1994	1999	1986	1997	1988	1997	1980	1999		
		LOWEST MEAN YEAR	1979	1979	1976	1975	1977	1998	1993	1975	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	0.9	0.6	0.9	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.3	0.2	0.8			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
		085	STEAD	HIGHEST MEAN	39.3	42.8	46.0	52.6	62.0	66.7	74.5	72.6	64.5	57.2	47.1	38.2	74.5
				MEDIAN	31.0	36.0	40.7	46.0	54.1	63.0	70.3	69.4	61.5	50.3	39.3	32.2	49.2
				LOWEST MEAN	23.6	27.0	36.1	38.5	46.9	59.3	64.7	63.4	53.7	45.5	31.1	23.0	23.0
HIGHEST MEAN YEAR	1986			1995	1997	1987	1992	1977	1988	1971	1995	1988	1995	1995	1988		
LOWEST MEAN YEAR	1993			1990	1985	1975	1977	1980	1983	1976	1986	1984	1985	1990	1990		
MIN OBS TIME ADJUSTMENT	1.0			1.1	0.9	0.0	0.0	0.0	0.0	-0.2	0.3	0.3	0.7	0.9			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
086	SUNNYSIDE			HIGHEST MEAN	37.6	43.9	45.9	53.9	61.4	70.1	76.1	73.0	65.6	55.9	44.8	37.9	76.1
				MEDIAN	30.1	34.8	40.5	47.6	56.4	65.9	72.7	69.9	62.3	50.3	39.2	31.6	50.0
				LOWEST MEAN	23.2	28.7	35.0	39.3	49.7	60.6	68.7	65.9	57.3	45.0	31.0	24.2	23.2
		HIGHEST MEAN YEAR	1986	1995	1989	1989	1997	1981	1996	1996	1979	1988	1995	1980	1996		
		LOWEST MEAN YEAR	1973	1985	1977	1975	1977	1995	1993	1976	1986	1984	1994	1990	1973		
		MIN OBS TIME ADJUSTMENT	0.9	1.2	0.9	0.0	-0.4	-0.3	-0.3	-0.2	-0.4	0.3	0.2	0.8			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.3	0.1	-0.1	-0.1	-0.1	0.0	0.1			
		087	SUNRISE MANOR	HIGHEST MEAN	48.9	55.0	61.9	71.1	79.2	86.5	91.0	89.1	82.0	70.9	57.7	48.5	91.0
				MEDIAN	44.0	49.2	56.3	62.7	72.9	81.5	87.9	86.0	78.4	65.2	52.3	44.2	65.1
				LOWEST MEAN	37.8	45.1	50.2	56.9	65.9	77.8	84.3	82.8	73.4	60.3	46.5	38.7	37.8
HIGHEST MEAN YEAR	1986			1995	1972	1989	1997	1981	1996	1994	1983	1988	1995	1980	1996		
LOWEST MEAN YEAR	1979			1979	1977	1975	1977	1998	1987	1979	1986	1982	1994	1978	1979		
MIN OBS TIME ADJUSTMENT	0.8			0.6	0.8	0.0	0.1	-0.2	-0.1	-0.2	-0.4	0.2	0.1	0.6			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	-0.1	-0.1	-0.2	-0.1	0.1			
088	SUTCLIFFE			HIGHEST MEAN	43.6	45.3	50.9	57.7	67.1	72.1	79.6	78.4	70.2	62.0	51.7	43.4	79.6
				MEDIAN	36.8	40.7	45.7	50.8	59.5	68.3	74.8	74.8	67.4	55.7	44.7	38.2	54.6
				LOWEST MEAN	31.2	32.1	39.5	44.6	51.7	63.0	70.6	67.3	61.5	48.5	37.1	27.8	27.8
		HIGHEST MEAN YEAR	1986	1995	1972	1992	1992	1986	1988	1986	1995	1988	1995	1995	1988		
		LOWEST MEAN YEAR	1985	1989	1985	1975	1977	1980	1983	1976	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	0.5	0.6	-0.1	-0.4	-0.4	-0.4	-0.3	-0.5	-0.3	-0.4	0.2	0.3			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1			
		089	TONOPAH AP	HIGHEST MEAN	39.5	44.0	49.7	55.7	63.8	71.7	78.4	77.2	68.5	59.4	46.8	37.8	78.4
				MEDIAN	32.1	37.3	42.6	49.1	58.5	67.1	74.0	72.0	64.3	52.7	39.5	33.1	51.9
				LOWEST MEAN	25.0	32.0	35.8	40.8	50.4	61.6	69.7	68.6	58.2	47.2	31.9	25.1	25.0
HIGHEST MEAN YEAR	1986			1995	1972	1989	1992	1994	1996	1971	1974	1988	1995	1977	1996		
LOWEST MEAN YEAR	1987			1989	1977	1975	1977	1998	1983	1976	1986	1984	1994	1990	1987		
MIN OBS TIME ADJUSTMENT	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
MAX OBS TIME ADJUSTMENT	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
090	TOPAZ LAKE 4			HIGHEST MEAN	40.4	45.1	47.8	54.4	62.5	69.0	75.4	75.0	66.4	59.6	50.0	39.3	75.4
				MEDIAN	33.4	37.0	41.9	46.8	55.8	65.1	72.5	71.2	63.1	51.9	41.4	33.2	51.2
				LOWEST MEAN	25.8	30.4	36.1	39.5	48.1	59.5	67.3	65.1	57.4	46.8	32.1	25.7	25.7
		HIGHEST MEAN YEAR	1986	1995	1997	1992	1992	1977	1994	1971	1979	1988	1995	1981	1994		
		LOWEST MEAN YEAR	1993	1989	1991	1975	1977	1995	1983	1976	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	0.9	1.0	0.8	0.0	0.0	0.0	0.0	-0.2	0.3	0.2	0.6	0.7			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.2	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	-0.1	0.1			
		091	TUSCARORA	HIGHEST MEAN	32.5	39.1	41.2	49.1	56.0	63.3	72.1	69.9	63.3	53.4	42.4	33.0	72.1
				MEDIAN	26.0	29.4	34.8	39.8	49.1	58.1	67.5	66.4	57.9	46.8	33.9	28.5	45.1
				LOWEST MEAN	19.1	21.8	30.2	34.2	43.9	52.6	58.5	59.1	50.7	39.5	26.4	19.1	19.1
HIGHEST MEAN YEAR	1986			1995	1992	1987	1992	1988	1985	1986	1990	1988	1999	1980	1985		
LOWEST MEAN YEAR	1972			1985	1971	1975	1977	1975	1993	1976	1986	1984	1994	1990	1972		
MIN OBS TIME ADJUSTMENT	-0.8			-0.6	-0.7	-0.8	-0.6	-0.6	-0.5	-0.8	-0.9	-1.1	-0.9	-0.7			
MAX OBS TIME ADJUSTMENT	0.0			0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-0.7	-0.6	-0.2	-0.1			
092	TWIN SPRINGS			HIGHEST MEAN	34.8	42.1	47.1	57.3	64.9	69.7	76.2	72.5	63.4	54.2	41.8	34.5	76.2
				MEDIAN	26.8	35.1	41.7	47.7	57.0	65.0	72.0	69.8	60.6	49.3	36.5	27.9	48.9
				LOWEST MEAN	13.0	27.8	36.6	41.0	50.6	60.0	68.9	65.8	55.8	44.5	28.7	20.8	13.0
		HIGHEST MEAN YEAR	1986	1995	1972	1992	1992	1994	1996	1986	1979	1988	1995	1981	1996		
		LOWEST MEAN YEAR	1989	1989	1973	1975	1977	1995	1986	1976	1985	1984	1985	1992	1989		
		MIN OBS TIME ADJUSTMENT	-0.6	-0.6	-0.6	-0.6	-0.5	-0.4	-0.3	-0.4	-0.5	-0.6	-0.6	-0.7			
		MAX OBS TIME ADJUSTMENT	-0.4	-0.5	-0.6	-0.8	-0.9	-0.4	-0.6	-0.6	-0.5	-0.5	-0.4	-0.5			
		093	VALLEY OF FIR	HIGHEST MEAN	55.0	60.1	65.6	74.8	82.6	91.7	95.5	94.0	86.4	77.8	62.5	53.9	95.5
				MEDIAN	47.5	53.1	58.8	65.5	75.3	86.1	92.2	89.7	83.0	69.5	55.7	48.4	68.5
				LOWEST MEAN	41.2	48.0	52.3	59.1	68.9	81.1	87.9	86.6	76.6	64.5	50.5	42.1	41.2
HIGHEST MEAN YEAR	1986			1995	1972	1989	1997	1994	1994	1994	1979	1988	1995	1980	1994		
LOWEST MEAN YEAR	1979			1979	1973	1975	1977	1998	1987	1983	1985	1984	1994	1990	1979		
MIN OBS TIME ADJUSTMENT	0.8			0.6	0.8	0.0	0.1	-0.2	-0.1	-0.2	-0.3	0.2	0.1	0.7			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.2	-0.1	0.1			



CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEVADA

			NORMALS STATISTICS														
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
094	VIRGINIA CITY	HIGHEST MEAN	38.4	43.6	46.1	52.8	62.7	66.8	75.5	73.3	65.8	59.1	49.5	38.2	75.5		
		MEDIAN	31.6	33.5	39.0	43.5	52.9	62.5	69.9	69.5	61.6	50.3	38.4	32.9	48.7		
		LOWEST MEAN	24.0	28.1	32.4	34.1	42.7	55.6	61.2	60.2	52.7	43.1	30.8	25.0	24.0		
		HIGHEST MEAN YEAR	1986	1991	1997	1992	1992	2000	1994	1998	1995	1988	1995	1980	1994		
		LOWEST MEAN YEAR	1979	1989	1977	1975	1977	1980	1983	1976	1986	1982	1982	1990	1979		
		MIN OBS TIME ADJUSTMENT	1.0	1.0	0.8	0.0	0.0	0.1	0.0	-0.2	0.3	0.3	0.7	0.9			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.2	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
		095	WABUSKA 6 SE	HIGHEST MEAN	37.3	44.0	49.4	54.5	62.7	70.2	76.3	73.5	64.9	54.4	45.7	37.4	76.3
				MEDIAN	30.5	36.1	42.9	48.5	57.4	65.2	72.2	70.4	62.2	50.8	38.7	30.0	50.3
				LOWEST MEAN	24.5	27.3	36.0	41.3	49.2	61.1	67.5	63.7	55.4	45.8	34.2	21.3	21.3
HIGHEST MEAN YEAR	1986			1995	1993	1992	1997	1981	1994	1994	1995	1988	1995	1995	1994		
LOWEST MEAN YEAR	1982			1989	1977	1975	1977	1980	1987	1976	1986	1971	1975	1990	1990		
MIN OBS TIME ADJUSTMENT	0.9			1.0	0.8	0.0	0.0	-0.3	-0.1	-0.2	0.3	0.2	0.6	0.8			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
096	WADSWORTH 4 N			HIGHEST MEAN	39.1	44.3	49.4	56.3	64.5	72.2	77.2	76.0	67.2	57.9	46.5	42.9	77.2
				MEDIAN	33.3	39.2	44.3	49.2	58.6	66.5	73.8	72.3	63.9	52.0	41.3	32.6	52.4
				LOWEST MEAN	27.3	27.8	38.4	43.0	51.5	61.8	68.8	66.2	56.7	47.7	33.9	21.8	21.8
		HIGHEST MEAN YEAR	1978	1995	1993	1992	1992	1977	1994	1971	1990	1988	1981	1981	1994		
		LOWEST MEAN YEAR	1993	1989	1985	1975	1998	1993	1993	1976	1986	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	1.0	1.1	0.8	0.0	0.0	-0.3	-0.1	-0.2	0.3	0.2	0.6	0.9			
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
		097	WELLS	HIGHEST MEAN	31.3	37.8	42.1	48.6	56.5	64.8	70.9	69.0	62.4	51.3	39.5	32.8	70.9
				MEDIAN	25.5	29.2	36.1	41.7	50.7	59.9	68.1	65.7	56.7	44.9	34.2	25.4	45.1
				LOWEST MEAN	14.3	20.6	31.0	34.9	46.3	55.0	59.9	62.1	51.3	40.0	24.0	16.0	14.3
HIGHEST MEAN YEAR	1981			1991	1986	1992	1992	1977	1985	1991	1990	1988	1995	1981	1985		
LOWEST MEAN YEAR	1989			1993	1977	1975	1977	1995	1993	1976	1986	1984	1994	1990	1989		
MIN OBS TIME ADJUSTMENT	-0.6			-0.6	-0.6	-0.7	-0.5	-0.5	-0.4	-0.6	-0.5	-0.7	-0.6	-0.6			
MAX OBS TIME ADJUSTMENT	-0.3			-0.3	-0.4	-0.5	-0.2	-0.2	-0.2	-0.2	-0.4	-0.3	-0.4	-0.3	-0.3		
098	WILDHORSE RES			HIGHEST MEAN	26.3	29.2	36.1	42.3	50.2	58.1	64.8	63.6	54.6	45.2	35.1	27.2	64.8
				MEDIAN	17.4	21.6	29.7	37.0	44.3	52.8	60.1	59.5	50.1	40.1	29.6	20.5	38.8
				LOWEST MEAN	9.1	12.5	22.4	30.0	39.0	48.2	52.4	54.4	44.8	36.5	19.9	11.0	9.1
		HIGHEST MEAN YEAR	1998	1992	1986	1977	1992	1977	1998	1971	1998	1988	1995	1995	1998		
		LOWEST MEAN YEAR	1993	1985	1985	1975	1991	1993	1993	1976	1986	1984	1994	1985	1993		
		MIN OBS TIME ADJUSTMENT	-0.8	-0.5	-0.6	-0.9	-0.6	-0.6	-0.5	-0.8	-0.9	-1.1	-1.0	-0.7			
		MAX OBS TIME ADJUSTMENT	0.0	0.1	0.0	-0.3	-0.3	-0.3	-0.3	-0.3	-0.7	-0.6	-0.2	-0.2			
		099	WINNEMUCCA MU	HIGHEST MEAN	38.7	41.9	46.5	52.7	62.6	70.2	76.3	74.7	65.4	55.0	42.9	38.9	76.3
				MEDIAN	31.5	36.2	40.5	46.7	54.4	64.3	72.5	70.4	60.6	48.6	38.3	29.2	49.5
				LOWEST MEAN	19.3	27.3	37.0	40.3	49.0	59.1	65.3	65.5	54.4	44.2	28.4	16.6	16.6
HIGHEST MEAN YEAR	1986			1995	1993	1990	1992	1977	1994	1971	1990	1988	1995	1977	1994		
LOWEST MEAN YEAR	1985			1989	1977	1975	1998	1998	1993	1976	1986	1984	1985	1990	1990		
MIN OBS TIME ADJUSTMENT	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
MAX OBS TIME ADJUSTMENT	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
100	YERINGTON			HIGHEST MEAN	40.3	45.4	50.2	56.9	65.1	72.1	77.9	75.3	67.1	58.7	48.4	41.3	77.9
				MEDIAN	33.9	39.1	44.7	50.9	59.0	67.3	73.7	72.9	64.7	53.0	41.4	33.0	52.8
				LOWEST MEAN	26.6	29.8	40.3	43.0	51.9	63.3	69.3	64.9	57.9	48.5	33.2	25.0	25.0
		HIGHEST MEAN YEAR	1986	1995	1978	1990	1992	2000	1994	1971	1995	1988	1995	1977	1994		
		LOWEST MEAN YEAR	1982	1989	1991	1975	1998	1998	1983	1976	1986	1981	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.6	-0.6	-0.5	-0.5	-0.4	-0.5	-0.6	-0.7	-0.9	-0.9			
		MAX OBS TIME ADJUSTMENT	-1.1	-1.1	-1.4	-1.6	-1.4	-1.4	-1.1	-1.2	-1.5	-1.3	-1.3	-1.3			